
113393

(Re	questor's Name)	-
(Ad	dress)	
(Ad	dress)	
(Cit	y/State/Zip/Phone	e #)
PICK-UP	☐ WAIT	MAIL
(Bu	siness Entity Nar	me)
(Document Number)		
Certified Copies	_ Certificates	s of Status
Special Instructions to Filing Officer:		

Office Use Only



10/15/10--01002--007 **1662.50



N. CAUSSEAUX 0CT 1 8 2010

EXAMINER



FLORIDA DEPARTMENT OF STATE Division of Corporations

August 30, 2010

JOHN S. THEOFILOS THEOCHEM LABORATORIES 7373 ROWLETT PARK DRIVE TAMPA, FL 33610

SUBJECT: UNIVERSAL STRIPPER, ABILITY DEO-PINE, SHINE-O-GLASS, TROPIC BREEZE, WAX-0-WASH, MAGIC OVEN CLEANER, BIG JIM, GEREASE OFF, ENVISOL, IN-CIDE, SPRAY & CLEAN, BRIGHT SHEEN & 6 OTHER MARK RENEWALS

Ref. Number: W10000040906

We have received your document for UNIVERSAL STRIPPER, ABILITY DEO-PINE, SHINE-O-GLASS, TROPIC BREEZE, WAX-0-WASH, MAGIC OVEN CLEANER, BIG JIM, GEREASE OFF, ENVISOL, IN-CIDE, SPRAY & CLEAN, BRIGHT SHEEN & 6 OTHER MARK RENEWALS and check(s) totaling \$1662.50. However, your check(s) and document are being returned for the following:

The notary public's acknowledgement is incomplete. The seal, signature, and expiration date must be affixed. A notary public cannot notarize his own signature.

The specimen you submitted to renew your trademark is not acceptable. We need one permanent specimen. We do not accept camera ready copies or specimens which have been altered or defaced in any manner. To renew your trademark, we need one label, decal or tag that is affixed to the actual good(s) or product(s). We will accept one legible photograph of the good(s) or product(s) with the specimen affixed. If the mark is a publication, newspaper, magazine, or column, we need one publication. If your mark is registered under more than oneclass, we need one specimen for each class. We DO NOT accept letterhead, stationery, envelopes, invoices or mailing labels.


Please attach your specimen(s) to a copy of this letter or to your corrected application, if it was returned to you for correction(s), and return it/them to this office for processing.

The notary is missing for all of the trademark renewals. We do not accept camera ready specimens.

Pursuant to s. 495.035(5), F.S., this application will be considered abandoned if

MARK RENEWAL APPLICATION

Name and Mailing Address of Owner:	Return To: Division of Corporations
Theochem Laboratories	P.O. Box 6327 Tallahassee, FL 32314
7373 Rowlett Park Drive	1) Mark Registered: Armour Shield
Tampa, FL 33610	1) Wark Registered: 1 www. 2 warms and 1
2) Registration Number: T13393	
3) Date Filed: 08/29/1990 4.)	Renewal Date: 08/29/2010 5.) Class(es) Filed: 1-0001
	tion 495.071, Florida Statues. Below you must state the mark is still in or its nonuse is not due to any intention to abandon the mark.
Mark is still in use in the S	State of Florida
•	ter the state of incorporation/formation/organization: John S Theofilos
	Typed or Printed Name of Owner
	$ \Lambda$ -1
	Owner's Signature or Authorized Person's Signature
STATE OF Florida	₩ 3
On this 15th day of March personally appeared before me,	_,2010 , John S Theofilos
ROSE M. H Comi	whose identity I proved on the basis of #ARVEY m# DD0779491 Iross 5/10/2012 Notary Assan, Inc. Notary Public's Signature
Fee: \$87.50 Per Class	Rose M Harvey
Certificate of Renewal: \$8.75 (Optional)	
CR2E005 (1/07)	



Shield is a foamy all purpose cleaner, polish and protective coating formulated with silicone used to clean and protect furniture, plastic, wood, vinyl, rubber and leather from water, dirt, fingerprints, stains, spills, etc. Shield offers protection from ultra-violet rays and oxidizers which deteriorate surfaces, fade colors and cause soft materials to harden and crac*

DIRECTIONS:

For best results spray on rag, not surface.

- Heavily soiled surfaces thoroughly clean surface first. Application area should be completely dry. Interior surfaces such as seats, dash area, door panels, etc. spray and
- let set for a short period of penetration. Lightly buff with a clean dry cioth.
- Exterior surfaces such as tires, bumpers, leather, and vinyl tops simply spray and let set. No buffing required.

 Other applications - apply Shield and let set. Lightly buff away excess.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid spills and overspray on floors as slippery conditions will result. Where overspray is a problem, apply Shield first to a cioth. Contents under pressure. Do not puncture or incinerate container. Do not expose to heat, sparks, or open flame. Do not store at temperatures above 120° F. as container may burst.

FIRST AID:

If Swallowed: Do not induce vomiting. Drink large amounts of water. Get medical attention.

Eye Contact: Flush eyes with wate for at least 15 minutes. Get medical attention if irritation persists.

Skin Contact: Wash affented areas with scap and water. Get medical

attention if irritation persists.

Contains: Water (7732-18-5), dimethylpolysiloxane (63148-62-9), sodium nitrite (7632-00-0), propane (74-98-6), butane (106-97-8).

2296/698

FOR INDUSTRIAL & INSTITUTIONAL USE ONLY

NET CONTENTS: 14 oz. (397 Grams)





Manufactured By: THEOCHEM LABORATORIES, INC. 7373 Rowlett Park Dr., Tampa, Florida 33610 http://www.theochem.com