## 79900000688

FILED 99 MAY 28 AH 9:51 Requestor's Name Address City/State/Zip Phone # Office Use Only CORPORATION NAME(S) & DOCUMENT NUMBER(S), (if known): (Document #) 300002889813 -05/28/99--01084--023 (Corporation Name) (Document #) (Corporation Name) (Document #) (Corporation Name) (Document #) Certified Copy Walk in Pick up time \_ Photocopy Certificate of Status Mail out Will wait AMENDMENTS \_ NEW FILINGS Amendment Profit Resignation of R.A., Officer/Director NonProfit Change of Registered Agent Limited Liability Dissolution/Withdrawal Domestication Name Availability Other Merger Document NJC Examiner REGISTRATION/ OTHEREFILINGS Updater **OUALIFICATION** NJC Annual Report Foreign Updater Fictitious Name NJC Verifyer Limited Partnership Acknowledgement NJC Name Reservation Reinstatement W. P. Verifyer NJC Trademark Other ....

Examiner's Initials

## APPLICATION FOR THE REGISTRATION OF A TRADEMARK OR SERVICE MARK PURSUANT TO CHAPTER 495, FLORIDA STATUTES

(i.e., ladies sportswear, cat food, barbect Concrete roof tile  (c) The mode or manner in which the mark Labels	is used:(i.e., lab	els, decals, newspaper ad	vertisements, brochures, etc.
Concrete roof tile  (c) The mode or manner in which the mark	is used:(i.e., lab	els, decals, newspaper ad	vertisements, brochures, etc.
Concrete roof tile			
the second secon			
the second secon	-		
(1,c., ladies sponswear, cat food, barbect	- ***	- · · · · · · · · · · · · · · · · · · ·	
(b) If the mark to be registered is a tradema (i.e., ladies sportswear, cat food, burber)	rk, the goods in se grills, shoe la	connection with which the	ne mark is used;
(i.e., furniture moving services, diaper:	services, house j	painting services, etc.)	
2. (a) If the mark to be registered is a service	mark the source		uich the mark is need:
(3) Federal Employer Identification Number:	33-076-95	(2) Domicile State: 63	DRT8AGLS
If other than an individual, (1) Florida registration number: M98000000	264	(3) D	Dalarena-
☐ General Partnership ☐ Limited P		Union	Other:
(c) Applicant's telephone number: ( 949		☐Joint Venture	D On.
<del></del>		City/State/Zip	
	ne, CA 92614		
(b) Applicant's business address: 1 Pa	rk Plaza, Su	te 900	
1. (a) Applicant's name:MonierLifetil		•	
	PART	Telephone number	
·	(404	) 881~7000	
	- 1201 - Atla	W. Peachtree Stree nts. GA 30309-3424	L
	- One	on & Bird LLP Atlantic Center	
:	Gina	beth B. Hutchison,	Esq
:		& address to whom acknowl	AABUNOUS SUGGED THE SELLE.
:			Busing straight the scrift

. d) The class(es) in which goods or s	services fail:
19	
Date first used by the applicant, p     (a) Date first used anywhere: Sept	PART II  predecessor, or a related company (must include month, day and year):  26, 1983 (b) Date first used in Florida: Sept. 26, 1983
	PART III  pgo/design is included, please give brief written description which
2. DISCLAIMER (if applicable) NO CLAIM IS MADE TO THE EXC	CLUSIVE RIGHT TO USE THE TERM " " APART FROM THE MARK AS SHOWN.
erein, or that I am authorized to sign on beha he right to use such mark in Florida either in e mistaken therefor. I make this affidavit an oplication and know the contents thereof and Mon1erL1fe	being sworn, depose and say that I am the owner and the applicant the identical form or in such near resemblance as to be likely to deceive or confuse or to divertification on mythe applicant's behalf. I further acknowledge that I have read the otile LLC
App	plicant's signature of authorized person's signature
ATEOF <u>California</u>	(List warne and title)
ountry of	1999, Joseph E. Smith Corpersonally
who is personally known to me	whose identity I proved on the basis of Calif. Driver License
	Heather & Maker
(Seal)	Notary Public Signature  Heather J. Maker  Notary's Printed Name
Heather J. Maher Comm. #1143888	My Commission Expires: 6-27-2001
ORANGE COUNTY COmm. Exp. June 27, 2001	FEE: \$87.50 per class



## ESPANA BUTTERCUP C/T

Qty/Pallet:3 SQS

Plant: LAKE WALES

00-00-00

Shift: DAYS

## 1ESWS6215

ICBO No. 2093 SBCCI No. 75101

CAUTION: Sawing or grinding of concrete may result in the release of dust particles containing crystalline silica, which could cause eye or nose irritation. Respirable crystalline silica can cause silicosis and might cause lung cancer. When sawing or grinding operations are in progress, provide for adequate ventilation, dust suppression, or other feasible engineering controls to keep silica levels below the PEL (Permissible Exposure Limit). If levels exceed or are likely to exceed the PEL, use a MIOSH-approved respirator with a HEPA filter and tight fitting goggles. A Material Safety Data Sheet is available from your closest MonierLifetile Sales Office.

This product has an installed weight of 9.0 pounds per square foot when installed with a 3" headlap. The installed weight is derived from testing conducted in accordance with ICBOES Acceptance Criteria for Special Roofing Systems Section 3.2 and shown in the above ICBO Report 2093.