1000000690 Requestor's Name 99 MAY 28 AM 9:51 SECRETARY OF STATE TALLAHASSEE, FLORIDA Address City/State/Zip Phone # Office Use Only CORPORATION NAME(S) & DOCUMENT NUMBER(S), (if known): 000002889810--4 -05/28/99--01084--021 ******87.50 ******87.50 (Document #) (Corporation Name) (Document #) (Corporation Name) (Document #) (Corporation Name) (Document #) Walk in Pick up time Certified Copy Mail out Will wait Photocopy Certificate of Status

NEW FILINGS		
	Profit	
	NonProfit	
	Limited Liability	
	Domestication	
	Other	

i i	AMENDMENTS
	Amendment
	Resignation of R.A., Officer/Director
	Change of Registered Agent
	Dissolution/Withdrawal
	Merger

OTHER FILINGS
Annual Report
Fictitious Name
Name Reservation

REGISTRATION/ QUALIFICATION
 Foreign
Limited Partnership
 Reinstatement
Trademark
Other

Name
Availability
Document
Examiner
NJC
Updater
Verifyer
NJC
Acknowledgement
W. P. Verifyer
NJC

Examiner's Initials	***

APPLICATION FOR THE REGISTRATION OF A TRADEMARK OR SERVICE MARK PURSUANT TO CHAPTER 495, FLORIDA STATUTES

TO: Division of Corporations Post Office Box 6327 Tallahassee, FL 32314

Name & address to whom acknowledgment should be sent: Ginabeth B. Hutchison, Esq. Alaton & Bird LLP One Atlantic Center 1201 W. Peachtree Street tlanta, GA 30309-3424 881-7000 Daytime Telephone number PARTI I. (a) Applicant's name: MonierLifetile, LLC (b) Applicant's business address: _ l Park Plaza, Suite 900 Irvine, CA 92614 City/State/Zip (c) Applicant's telephone number: (949) 756-1605 ☐ Individual Corporation ☐ Joint Venture Other: General Partnership ☐ Limited Partnership Union If other than an individual, (1) Florida registration number: M98000000264 (2) Domicile State: Delaware (3) Federal Employer Identification Number: 33-076-9563 2. (a) If the mark to be registered is a service mark, the services in connection with which the mark is used: (i.e., furniture moving services, diaper services, house painting services, etc.) (b) If the mark to be registered is a trademark, the goods in connection with which the mark is used: (i.e., ladies sportswear, cat food, barbecue grills, shoe laces, etc.) Concrete roof tile (c) The mode or manner in which the mark is used: (i.e., labels, decals, newspaper advertisements, brochures, etc.) Labels (Continued) CR2ED[4(7/97)

d) The class(es) in which goods or service	ces fall:
19	
	PART II ccessor, or a related company (must include month, day and year): 6, 1983 (b) Date first used in Florida: Sept. 26, 1983
. The mark to be registered is: (If logo/omust be 25 words or less.)	PART III design is included, please give brief written description which 1193
DISCLAIMER (if applicable) O CLAIM IS MADE TO THE EXCLU	USIVE RIGHT TO USE THE TERM "
e right to use such mark in riorian etther in the :	Λ
Applic TATE OF California	Typed or printed name of applicant A S S S S S S S S S S S S S S S S S S
n this 26 day of May	
who is personally known to me	whose identity I proved on the basis of <u>Calif Dritter Licen</u>
(Seal)	Notary Public Signature Heather J. Maher Notary's Printed Name
er	My Commission Expires: 6-27-200/
Comm. Exp. June 27, 2001	FEE: \$87.50 per class

Heather J. Maher Comm. #1143888 NOTARY PUBLIC - CALIFORNIA ORANGE COUNTY Comm. Exp. June 27, 2001



Monier Lifetile ESPANA

NEW SOUTHERN BLEND C/T

Qty/Pallet:3 SQS

Plant: LAKE WALES

00-00-00

Shift: DAYS

1ESCS0100

ICBO No. 2093 SBCCI No. 75101

CAUTION: Sawing or grinding of concrete may result in the release of dust particles containing crystalline silica, which could cause eye or nose irritation. Respirable crystalline silica can cause silicosis and might cause lung cancer. When sawing or grinding operations are in progress, provide for adequate vertilation, dust suppression, or other feasible engineering controls to keep silica levels below the PEL (Permissible Exposure Limit). If levels exceed or are likely to exceed the PEL, use a NIOSH-approved respirator with a HEPA filter and tight fitting goggles. A Material Safety Data Sheet is available from your closest MonierLifetile Sales Office.

This product has an installed weight of 9.0 pounds per square foot when installed with a 3" headlap. The installed weight is derived from testing conducted in accordance with ICBOES Acceptance Criteria for Special Roofing Systems Section 3.2 and shown in the above ICBO Report 2093.