

T99000000708

Requestor's Name	
Address	
City/State/Zip	Phone #

FILED
99 MAY 28 AM 9:49
SECRETARY OF STATE
TALLAHASSEE, FLORIDA

Office Use Only

CORPORATION NAME(S) & DOCUMENT NUMBER(S), (if known):

1. 169 (19)
(Corporation Name) (Document #)
2. 500002889785--3
(Corporation Name) (Document #) 05/28/99--01084--003
*****87.50 *****87.50
3. _____
(Corporation Name) (Document #)
4. _____
(Corporation Name) (Document #)

- ☐ Walk in ☐ Pick up time _____ ☐ Certified Copy
☐ Mail out ☐ Will wait ☐ Photocopy ☐ Certificate of Status

NEW FILINGS	
<input type="checkbox"/>	Profit
<input type="checkbox"/>	NonProfit
<input type="checkbox"/>	Limited Liability
<input type="checkbox"/>	Domestication
<input type="checkbox"/>	Other

AMENDMENTS	
<input type="checkbox"/>	Amendment
<input type="checkbox"/>	Resignation of R.A., Officer/ Director
<input type="checkbox"/>	Change of Registered Agent
<input type="checkbox"/>	Dissolution/Withdrawal
<input type="checkbox"/>	Merger

OTHER FILINGS	
<input type="checkbox"/>	Annual Report
<input type="checkbox"/>	Fictitious Name
<input type="checkbox"/>	Name Reservation

REGISTRATION/ QUALIFICATION	
<input type="checkbox"/>	Foreign
<input type="checkbox"/>	Limited Partnership
<input type="checkbox"/>	Reinstatement
<input type="checkbox"/>	Trademark
<input type="checkbox"/>	Other

T99-708

Name Availability	<u>np</u>
Document Examiner	NJC
Updater	NJC
Updater Verifier	NJC
Acknowledgement	NJC
W. P. Verifier	NJC

APPLICATION FOR THE REGISTRATION OF A TRADEMARK OR SERVICE MARK
PURSUANT TO CHAPTER 495, FLORIDA STATUTES

TO: Division of Corporations
Post Office Box 6327
Tallahassee, FL 32314

Name & address to whom acknowledgment should be sent:

Ginabeth B. Hutchison, Esq.
Alston & Bird LLP
One Atlantic Center
1201 W. Peachtree Street
Atlanta, GA 30309-3424
(404) 881-7000
Daytime Telephone number

PART I

1. (a) Applicant's name: MonierLifetile LLC

(b) Applicant's business address: 1 Park Plaza, Suite 900
Irvine, CA 92614

City/State/Zip

(c) Applicant's telephone number: (949) 756-1605

☐ Individual

☒ Corporation

☐ Joint Venture

☐ Other: _____

☐ General Partnership

☐ Limited Partnership

☐ Union

If other than an individual,

(1) Florida registration number: M98000000264

(2) Domicile State: Delaware

(3) Federal Employer Identification Number: 33-076-9563

2. (a) If the mark to be registered is a service mark, the services in connection with which the mark is used:
(i.e., furniture moving services, diaper services, house painting services, etc.)

(b) If the mark to be registered is a trademark, the goods in connection with which the mark is used:
(i.e., ladies sportswear, cat food, barbecue grills, shoe laces, etc.)

Concrete roof tile

(c) The mode or manner in which the mark is used: (i.e., labels, decals, newspaper advertisements, brochures, etc.)

Labels

(Continued)

19

(a) Date first used anywhere: Sept. 26, 1983 (b) Date first used in Florida: Sept. 26, 1983

1. The mark to be registered is: (If logo/design is included, please give brief written description which must be 25 words or less.)

169

2. **DISCLAIMER** (if applicable)
NO CLAIM IS MADE TO THE EXCLUSIVE RIGHT TO USE THE TERM "_____"
"APART FROM THE MARK AS SHOWN."

MonierLifestyle LLC

Typed or printed name of applicant

Applicant's signature or authorized person's signature
(List name and title)

STATE OF California

COUNTY OF Orange

On this 26th day of May, 1999, Joseph E. Smith personally appeared before me, Calif. Driver Co

☐ who is personally known to me ☒ whose identity I proved on the basis of Calif. Driver License

(Seal)


Heather Maher
Notary Public Signature

Notary Public Signature

Heather J. Maher

Notary's Printed Name _____

My Commission Expires: 6-27-2001

FEE: \$87.50 per class



Monier Lifetile
ESPANA

TAUPE MIST CREAM FLASH

Qty/Pallet: 3 SQS Plant: LAKE WALES

00-00-00

Shift: DAYS

169

1ESSS0156

ICBO No. 2093 SBCCI No. 75101

CAUTION: Sawing or grinding of concrete may result in the release of dust particles containing crystalline silica, which could cause eye or nose irritation. Respirable crystalline silica can cause silicosis and might cause lung cancer. When sawing or grinding operations are in progress, provide for adequate ventilation, dust suppression, or other feasible engineering controls to keep silica levels below the PEL (Permissible Exposure Limit). If levels exceed or are likely to exceed the PEL, use a NIOSH-approved respirator with a HEPA filter and tight fitting goggles. A Material Safety Data Sheet is available from your closest MonierLifetile Sales Office.

This product has an installed weight of 9.0 pounds per square foot when installed with a 3" headlap. The installed weight is derived from testing conducted in accordance with ICBOES Acceptance Criteria for Special Roofing Systems Section 3.2 and shown in the above ICBO Report 2093.