

Requester's Name 44th Street	L 99000003200
Address	
Tall Fl. 32311	878-5300
City/State/Zip	Phone #

Office Use Only

**CORPORATION NAME(S) & DOCUMENT NUMBER(S), (if known):**

1. Fallschase Joint Venture, L.C. (Document #)

2. \_\_\_\_\_ (Corporation Name) (Document #)

3. \_\_\_\_\_ (Corporation Name) (Document #)

4. \_\_\_\_\_ (Corporation Name) (Document #)

FILED  
SECRETARY OF STATE  
DIVISION OF CORPORATIONS  
99 JUN -3 PM 4:58

Walk in

Pick up time \_\_\_\_\_

Certified Copy

Mail out

Will wait

Photocopy

Certificate of Status

<b>NEW FILINGS</b>	
Profit	-
NonProfit	
<input checked="" type="checkbox"/> Limited Liability	
Domestication	
Other	

<b>AMENDMENTS</b>	
Amendment	
Resignation of R.A., Officer/ Director	
Change of Registered Agent	
Dissolution/Withdrawal	
Merger	

<b>OTHER FILINGS</b>	
Annual Report	
Fictitious Name	
Name Reservation	

<b>REGISTRATION/ QUALIFICATION</b>	
Foreign	
Limited Partnership	
Reinstatement	
Trademark	
Other	

800002894598--  
-06/04/99--01001--005  
\*\*\*\*285.00 \*\*\*\*285.00

(13)

Examiner's Initials

# **ARTICLES OF ORGANIZATION FOR FLORIDA LIMITED LIABILITY COMPANY**

## **ARTICLE I - Name:**

The name of the Limited Liability Company is:

Fallschase Joint Venture, L.C.

## **ARTICLE II - Address:**

The mailing address and street address of the principal office of the Limited Liability Company is:

4475 Buck Lake Road  
Tallahassee, Florida 32311

FILED  
SECRETARY OF STATE  
DIVISION OF CORPORATIONS  
99 JUN -3 PM 4:58

## **ARTICLE III - Duration:**

The period of duration for the Limited Liability Company shall be:

Perpetual Existence

## **ARTICLE IV - Management:**

(Check the appropriate box and complete the statement)

The Limited Liability Company is to be managed by a manager or managers and the name(s) and address(es) of such manager(s) who is/are to serve as manager(s) is/are:

L. Blair Bailey  
4475 Buck Lake Road  
Tallahassee, FL 32311

The Limited Liability Company is to be managed by the members and the name(s) and address(es) of the managing member(s) is/are:

## **ARTICLE V - Admission of Additional Members:**

The right, if given, of the members to admit additional members and the terms and conditions of the admissions shall be:

No additional members are to be admitted as members of the company except by the unanimous vote of the subscribers.

## **ARTICLE VI - Members Rights to Continue Business:**

The right, if given, of the remaining members of the limited liability company to continue the business on the death, retirement, resignation, expulsion, bankruptcy, or dissolution of a member or the occurrence of any other event which terminates the continued membership of a member in the limited liability company shall be:

The remaining member or members may consent in writing to continue the business of the company.

DIVISION OF SECRETARY OF STATE  
FLORIDA CORPORATION  
JUN -3 PM 4:58

## **ARTICLE VII - Affidavit of Membership and Contributions**

The undersigned member or authorized representative of a member of Fallschase Joint Venture, L.C. certifies:

- 1) the above named limited liability company has at least one member;
- 2) the total amount of cash contributed by the member(s) is \$ 100.00 ;
- 3) if any, the agreed value of property other than cash contributed by member(s) is \$ 100,000.00 ;  
(A description of the property is attached and made a part hereto.); and
- 4) the total amount of cash and property contributed and anticipated to be contributed by member(s) is \$ 00,100.00 .

  
Signature of a member or an authorized representative of a member.

(In accordance with section 608.408(3), Florida Statutes, the execution of this affidavit constitutes an affirmation under the penalties of perjury that the facts stated herein are true.)

L. Blair Bailey

Typed or printed name of signee

**Filing Fee: \$250.00 for Articles and Affidavit**

## CERTIFICATE OF DESIGNATION OF REGISTERED AGENT/REGISTERED OFFICE

PURSUANT TO THE PROVISIONS OF SECTION 608.415 or 608.507, FLORIDA STATUTES,  
THE UNDERSIGNED LIMITED LIABILITY COMPANY SUBMITS THE FOLLOWING  
STATEMENT TO DESIGNATE A REGISTERED OFFICE AND REGISTERED AGENT IN  
THE STATE OF FLORIDA.

1. The name of the limited liability company is: \_\_\_\_\_

Fallschase Joint Venture, L.C.

2. The name and the Florida street address of the registered agent are:

L. Blair Bailey

NAME

4475 Buck Lake Road

Florida street address (P. O. Box NOT ACCEPTABLE)

Tallahassee, FL 32311

CITY, STATE AND ZIP

*Having been named as registered agent and to accept service of process for the above stated limited liability company at the place designated in this certificate, I hereby accept the appointment as registered agent and agree to act in this capacity. I further agree to comply with the provisions of all statutes relating to the proper and complete performance of my duties, and I am familiar with and accept the obligations of my position as registered agent.*



SIGNATURE

FILED  
SECRETARY OF STATE  
DIVISION OF CORPORATIONS  
99 JUN -3 PM 4:58

Filing Fee: \$ 35 for Designation of Registered Agent

FILED  
SECRETARY OF STATE  
DIVISION OF CORPORATIONS  
MM-3 PM 4:58

CC 031500FS2304 CC

EXHIBIT "A"

BEGIN at the Southeast corner of Section 27, Township 1 North, Range 1 East (Southwest corner of Section 26), Leon County, Florida, and thence run S89°53'47"W along the South boundary of said Section 27 a distance of 638.58 feet to a point on the Northeasterly boundary of the Seaboard Coastline Railroad right-of-way, said point being on a curve concave to the Northeasterly; thence run Northwesterly along said right-of-way curve with a radius of 1843.86 feet, through a central angle of 10°06'02", for an arc distance of 326.11 feet (the chord of said arc being N46°08'47"W, 325.69 feet); thence continue along said railroad right-of-way N41°05'46"W, 495.00 feet to a point of curve to the left; thence along said right-of-way curve with a radius of 1918.24 feet, through a central angle of 09°29'18", for an arc distance of 317.67 feet; thence leaving said railroad right-of-way run N00°27'01"W along the West boundary of the East Half of the East Half of said Section 27, a distance of 1560.21 feet to a point on the most Southerly and Westerly boundary of Fallschase, Unit No. 1 Subdivision, as recorded in Plat Book 9, Page 40 of the Public Records of Leon County, Florida; thence run S53°56'06"E, 24.85 feet; thence S50°11'27"E, 215.45 feet; thence run S48°05'37"E, 50.16 feet to a point on a curve concave to the Southeast and also being a point on the Southerly right-of-way boundary of an unnamed street; thence from a tangent bearing of N37°07'00"E run Northeasterly along said right-of-way curve with a radius of 183.74 feet, through a central angle of 13°34'17", for an arc distance of 45.89 feet; thence continue along said Southerly right-of-way N50°41'17"E, 70.62 feet to a point of intersection with the Southerly right-of-way boundary of Fallschase Boulevard and also being a point on a curve concave to the Northeast; thence from a tangent bearing of S43°31'53"E run Southeasternly along said right-of-way curve with a radius of 339.49 feet, through a central angle of 22°46'53", for an arc distance of 134.98 feet; thence continue along said Southerly right-of-way S68°18'43"E, 235.00 feet to a point of right-of-way curve to the left; thence along said right-of-way curve with a radius of 467.89 feet, through a central angle of 49°00'00", for an arc distance of 400.14 feet; thence continue along said Southerly right-of-way N64°41'17"E, 53.00 feet to a point of intersection with the Westernly right-of-way boundary of Woods Hole; thence S25°18'43"E, 108.26 feet along said Westernly right-of-way to a point of right-of-way curve to the right; thence along said right-of-way curve with a radius of 50.00 feet, through a central angle of 41°24'35", for an arc distance of 36.14 feet to a point of reverse curve; thence along said right-of-way curve with a radius of 50.00 feet, through a central angle of 200°49'10", for an arc distance of 229.35 feet to a point of reverse curve on the Easternly right-of-way boundary of Woods Hole; thence along said right-of-way curve with a radius of 50.00 feet, through a central angle of 41°24'35", for an arc distance of 36.14 feet; thence run N25°18'43"W, 108.26 feet along said Easternly right-of-way to a point of intersection with the Southerly right-of-way boundary of Fallschase Boulevard; thence run N00°41'17"E, 52.00 feet along said right-of-way to a point of right-of-way curve to the right; thence along said right-of-way curve with a radius of 50.00 feet, through a central angle of 22°46'53", for an arc distance of 134.98 feet; thence from a tangent bearing N37°07'00"E, 50.00 feet to a point of intersection with the Westernly right-of-way boundary of Woods Hole; thence run

RECORDING NOTICE

Document legibility unsatisfactory  
for clear reproduction in the public  
records.

SP-1  
DIVISION  
99 JUN -3 PH

FILED STATE  
BY OF RECORDS

CC OR 1590 PG 2305 CC

S02°11'17"W, 100.00 feet along said Westerly right-of-way; thence run S87°48'43"E, 50.00 feet to the Easterly right-of-way boundary of said unnamed street; thence N02°11'17"E, 101.48 feet along said Easterly right-of-way to a point of intersection with the Southerly right-of-way boundary of Fallschase Boulevard and also being a point on a curve concave to the Northwesterly; thence from a tangent bearing of N68°47'47"E run Northeastly along said right-of-way curve with a radius of 845.17 feet, through a central angle of 40°11'33", for an arc distance of 592.88 feet; thence continue along said Southerly right-of-way N46°36'14"E, 161.75 feet to a point of curve to the right; thence along said right-of-way curve with a radius of 698.28 feet, through a central angle of 22°58'10", for an arc distance of 279.94 feet to a point of reverse curve; thence along said right-of-way curve to the left with a radius of 330.90 feet, through a central angle of 32°27'16", for an arc distance of 187.43 feet; thence continue along said Southerly right-of-way N35°07'08"E, 539.05 feet to a point of curve to the right; thence along said right-of-way curve with a radius of 287.62 feet, through a central angle of 62°48'18", for an arc distance of 315.22 feet; thence continue along said Southerly right-of-way S80°29'43"E, 144.26 feet; thence leaving said Southerly right-of-way run S08°00'00"E, 530.70 feet; thence run East, 181.03 feet; thence run S14°08'18"E, 188.94 feet; thence run S25°28'00"W, 292.00 feet; thence run S59°54'56"W, 1966.03 feet; thence run South, 594.87 feet; thence run East, 2464.90 feet; thence run N20°53'51"W, 1459.89 feet; thence run N75°00'00"E, 150.00 feet; thence run North, 634.56 feet; thence run West, 60.92 feet; thence run N08°00'00"W, 474.78 feet to a point of intersection with the Southerly right-of-way boundary of Fallschase Boulevard also being a point on a curve concave to the North; thence from a tangent bearing of N83°21'16"E run Easterly along said right-of-way curve with a radius of 707.75 feet, through a central angle of 02°10'50", for an arc distance of 26.94 feet; thence continue along said Southerly right-of-way N81°10'26"E, 120.00 feet; thence run N08°49'34"W, 50.00 feet to the Northerly right-of-way boundary of Fallschase Boulevard; thence S81°10'26"W, 120.00 feet along said Northerly right-of-way to a point of curve to the right; thence along said right-of-way curve with a radius of 657.75 feet, through a central angle of 20°45'00", for an arc distance of 238.21 feet; thence continue along said Northerly right-of-way N75°39'25"W, 355.39 feet to a point of curve to the right; thence from a tangent bearing of S78°04'34"E run Southwesterly along said right-of-way curve with a radius of 367.82 feet, through a central angle of 52°54'19", for an arc distance of 339.45 feet to a point of intersection on the Easterly right-of-way boundary of a unnamed street; thence N44°52'53"W, 5.65 feet along said Easterly right-of-way to a point of curve to the left; thence along said right-of-way curve with a radius of 643.81 feet, through a central angle of 03°14'20", for an arc distance of 103.81 feet; thence continue along said Easterly right-of-way N15°07'13"W, 156.00 feet to a point of curve to the right; thence along said right-of-way curve with a radius of 300.47 feet, through a central angle of 30°26'00", for an arc distance of 172.09 feet; thence run S75°00'49"W, 50.08 feet to a point of curve lying on the Northerly right-of-way boundary of said unnamed street; thence from a tangent bearing of S00°10'56"E run Southerly along said right-of-way curve with a radius of 653.47 feet, through a central angle of 21°52'53", for an arc distance of 25.00 feet to a point of intersection on the Northerly right-of-way boundary of a unnamed street; thence run S43°52'17"W, 38.63 feet along the Northerly right-of-way to a point of curve to the right, running along said

RECORDING NOTICE

Document legibility unsatisfactory  
for clear reproduction in the public  
records.

FILED  
DIVISION OF CORPORATIONS  
99 JUN -5  
158

CC OR 159 PPG 230 b CC

right-of-way curve with a radius of 46.82 feet, through a central angle of  $92^{\circ}30'00''$ , for an arc distance of 75.59 feet to a point of reverse curve; thence along said right-of-way curve to the left with a radius of 75.00 feet, through a central angle of  $87^{\circ}00'00''$ , for an arc distance of 113.88 feet; thence continue along said Northerly right-of-way S $49^{\circ}22'47''$ W, 75.00 feet to a point of curve to the left; thence along said right-of-way curve with a radius of 75.00 feet, through a central angle of  $149^{\circ}00'00''$ , for an arc distance of 195.04 feet to a point of compound curve on the Southerly right-of-way boundary of said unnamed cul-de-sac; thence along said right-of-way curve to the left with a radius of 250.00 feet, through a central angle of  $36^{\circ}30'00''$ , for an arc distance of 159.26 feet; thence continue along said Southerly right-of-way N $43^{\circ}52'47''$ E, 190.89 feet to a point of intersection with the Westerly right-of-way boundary of an unnamed street also being a point on a curve concave to the Northeast; thence from a tangent bearing of S $50^{\circ}10'34''$ E run Southeasterly along said right-of-way curve with a radius of 253.47 feet, through a central angle of  $03^{\circ}56'33''$ , for an arc distance of 24.33 feet; thence continue along said Westerly right-of-way S $54^{\circ}07'13''$ E, 156.00 feet to a point of curve to the right; thence along said right-of-way curve with a radius of 523.81 feet, through a central angle of  $09^{\circ}14'20''$ , for an arc distance of 95.75 feet; thence continue along said Westerly right-of-way S $44^{\circ}52'53''$ E, 5.85 feet to a point of intersection with the Northerly right-of-way boundary of Fallschase Boulevard also being a point on a curve concave to the Southeastern; thence from a tangent bearing of S $41^{\circ}13'10''$ W run Southwesterly along said Northerly right-of-way curve with a radius of 367.62 feet, through a central angle of  $02^{\circ}06'02''$ , for an arc distance of 13.48 feet; thence continue along said Northerly right-of-way S $39^{\circ}07'08''$ W, 499.05 feet to a point of intersection on the Northeastern right-of-way boundary of an unnamed cul-de-sac; thence N $50^{\circ}52'52''$ W, 110.00 feet along said Northeastern right-of-way to a point of curve to the left; thence along said right-of-way curve with a radius of 252.76 feet, through a central angle of  $35^{\circ}03'53''$ , for an arc distance of 160.58 feet; thence continue along said Northeastern right-of-way N $65^{\circ}53'45''$ W, 5.00 feet to a point of curve; thence from a tangent bearing of N $04^{\circ}05'15''$ E run North and Westerly along said right-of-way curve with a radius of 50.00 feet, through a central angle of  $275^{\circ}00'00''$ , for an arc distance of 235.62 feet to a point on the Southwesterly right-of-way boundary of said unnamed cul-de-sac; thence continue along said Southwesterly right-of-way S $65^{\circ}53'45''$ E, 55.00 feet to a point of curve to the right; thence along said right-of-way curve with a radius of 212.73 feet, through a central angle of  $35^{\circ}03'53''$ , for an arc distance of 180.02 feet; thence continue along said Southwesterly right-of-way S $50^{\circ}52'52''$ E, 109.80 feet to a point of intersection with the Northerly right-of-way boundary of Fallschase Boulevard also being a point on a curve concave to the Southeastern; thence from a tangent bearing of S $41^{\circ}13'10''$ W run Southwesterly along said Southwesterly right-of-way curve with a radius of 367.62 feet, through a central angle of  $02^{\circ}06'02''$ , for an arc distance of 13.48 feet; thence continue along said Southwesterly right-of-way N $50^{\circ}52'52''$ W, 110.00 feet along said Northeastern right-of-way to a point of curve to the left; thence along said Northeastern right-of-way curve with a radius of 252.76 feet, through a central angle of  $35^{\circ}03'53''$ , for an arc distance of 160.58 feet; thence continue along said Northeastern right-of-way N $65^{\circ}53'45''$ W, 5.00 feet to a point of curve; thence from a tangent bearing of N $04^{\circ}05'15''$ E run North and Westerly along said right-of-way curve with a radius of 50.00 feet, through a central angle of  $275^{\circ}00'00''$ , for an arc distance of 235.62 feet to a point on the Southwesterly right-of-way boundary of said unnamed cul-de-sac; thence continue along said Southwesterly right-of-way S $65^{\circ}53'45''$ E, 55.00 feet to a point of curve to the right; thence along said right-of-way curve with a radius of 212.73 feet, through a central angle of  $35^{\circ}03'53''$ , for an arc distance of 180.02 feet; thence continue along said Southwesterly right-of-way S $50^{\circ}52'52''$ E, 109.80 feet to a point of intersection with the Northerly right-of-way boundary of Fallschase Boulevard also being a point on a curve concave to the Southeastern; thence from a tangent bearing of S $41^{\circ}13'10''$ W run Southwesterly along said Southwesterly right-of-way curve with a radius of 367.62 feet, through a central angle of  $02^{\circ}06'02''$ , for an arc distance of 13.48 feet; thence continue along said Southwesterly right-of-way N $50^{\circ}52'52''$ W, 110.00 feet along said Northeastern right-of-way to a point of curve to the left; thence along said Northeastern right-of-way curve with a radius of 252.76 feet, through a central angle of  $35^{\circ}03'53''$ , for an arc distance of 160.58 feet; thence continue along said Northeastern right-of-way N $65^{\circ}53'45''$ W, 5.00 feet to a point of curve; thence from a tangent bearing of N $04^{\circ}05'15''$ E run North and Westerly along said right-of-way curve with a radius of 50.00 feet, through a central angle of  $275^{\circ}00'00''$ , for an arc distance of 235.62 feet to a point on the Southwesterly right-of-way boundary of said unnamed cul-de-sac.

RECORDING NOTICE

Document legibility unsatisfactory  
for clear reproduction in the public  
records.

C. A. S.

FILED  
SECRETARY OF STATE  
DIVISION OF CORPORATIONS  
99 JUN -3 PMK:58

OR 1590 PG 2307

said unnamed cul-de-sac; thence continue along said Southwesterly right-of-way S36°23'46"E, 46.61 feet to a point of intersection with the Northerly right-of-way of Fallschase Boulevard also being a point on a curve concave to the Southeast; thence from a tangent bearing of S49°55'13"W run Southwesterly along said right-of-way curve with a radius of 778.28 feet, through a central angle of 01°18'59", for an arc distance of 17.88 feet; thence continue along said Northerly right-of-way S48°36'14"W, 161.75 feet to a point of curve to the right; thence along said right-of-way curve with a radius of 765.17 feet, through a central angle of 19°28'14", for an arc distance of 260.02 feet; thence leaving said Northerly right-of-way of Fallschase Boulevard run N23°47'52"W, 23.44 feet to a point of curve to the left; thence along said curve with a radius of 469.77 feet, through a central angle of 17°14'50", for an arc distance of 141.41 feet; thence run S48°57'18"W, 115.46 feet; thence run N47°03'11"W, 349.75 feet; thence run S80°00'58"W, 140.79 feet; thence run N59°57'37"W, 131.85 feet; thence run N55°12'36"W, 262.53 feet; thence run N24°27'54"W, 243.71 feet; thence run N72°25'36"W, 150.00 feet; thence run N16°53'35"W, 20.97 feet; thence run S89°10'45"W, 20.00 feet; thence run N13°53'50"W, 115.38 feet to a point of intersection with the Easterly right-of-way boundary of Fallschase Boulevard also being a point on a curve concave to the Northwest; thence from a tangent bearing of N70°46'16"E run Northeastery along said right-of-way curve with a radius of 303.65 feet, through a central angle of 60°20'00", for an arc distance of 325.91 feet; thence continuing along said Easterly right-of-way N10°16'16"E, 403.00 feet to a point of curve to the left; thence along said curve with a radius of 384.44 feet, through a central angle of 64°15'00", for an arc distance of 431.11 feet; thence continuing along said Easterly right-of-way run N53°58'44"W, 210.00 feet to a point of curve to the right; thence along said curve with a radius of 303.27 feet, through a central angle of 54°00'00", for an arc distance of 285.83 feet; thence continuing along said Easterly right-of-way run N00°01'16"E, 35.00 feet to a point of curve to the right; thence along said curve with a radius of 50.00 feet, through a central angle of 50°00'00", for an arc distance of 78.54 feet to a point of intersection with the South right-of-way boundary of State Road No. S-158 (Buck Lake Road); thence along said South right-of-way run S29°58'44"E, 950.88 feet to a point of curve to the left, thence along said right-of-way curve with a radius of 5923.58 feet, through a central angle of 01°33'10", for an arc distance of 160.87 feet; thence leaving said South right-of-way boundary of State Road No. S-158 (Buck Lake Road) run S00°38'01"W along the West boundary of the property described in Official Records Book 325, Page 96 of the Public Records of Leon County, Florida, a distance of 718.59 feet; thence N87°31'12"E along the South boundary of said property 215.76 feet; thence N00°04'41"E along the East boundary of said property 717.60 feet to a point on the South right-of-way boundary of State Road No. S-158 (Buck Lake Road); thence along said South right-of-way run N87°18'46"E, 271.07 feet to a point of curve to the right, thence along said right-of-way curve with a radius of 1773.30 feet, through a central angle of 03°22'00", for an arc distance of 653.97 feet; thence leaving said right-of-way boundary of State Road No. S-158 (Buck Lake Road) run N00°40'00"E along the West boundary of the land by description in Official Records Book 325, Page 97 of the Public Records of Leon County, Florida, a distance of 104.46 feet; thence N87°31'12"E along the South boundary of said property 215.76 feet to a point on the South right-of-way.

RECORDING NOTICE

Document legibility unsatisfactory  
for clear reproduction in the public  
records.

4-17-7

FILED  
DIVISION OF CORPORATIONS  
MM-3 PM 4:58

OR 1590PG 2308

said property 290.00 feet to a point on the South right-of-way boundary of State Road No. S-158 (Buck Lake Road), said point lying on a curve concave to the South, thence Southeastly along said right-of-way curve with a radius of 3779.33 feet, through a central angle of  $00^{\circ}37'34''$ , for an arc distance of 41.31 feet (the chord of said arc being S81°42'50"E, 41.31 feet); thence continue along said South right-of-way of State Road No. S-158 (Buck Lake Road) S81°23'14"E, 626.13 feet; thence leaving said right-of-way boundary of State Road No. S-158 (Buck Lake Road) run S00°00'25"E, 492.44 feet; thence run N89°29'12"E, 322.20 feet; thence run N52°11'30"E, 86.86 feet; thence run N89°50'30"E, 226.17 feet; thence run S00°04'12"W, 59.79 feet, thence run S89°44'56"W, 179.63 feet; thence run S00°14'08"E, 162.46 feet; thence run N89°43'42"E, 180.05 feet; thence run S00°11'25"E, 162.62 feet, thence run S89°43'42"W, 180.05 feet; thence run S00°11'33"E, 162.22 feet; thence run S00°12'24"E, 162.69 feet; thence run N89°50'S4"E, 162.06 feet, thence run N89°56'45"E, 60.57 feet; thence run S07°35'18"W, 101.23 feet, thence run N89°48'48"E, 420.56 feet; thence run N00°08'54"W, 100.03 feet; thence run N89°51'06"E, 249.89 feet; thence run S00°08'54"E, 99.97 feet, thence run N89°50'16"E, 199.98 feet; thence run N89°51'53"E, 199.78 feet, thence run N00°08'06"W, 99.97 feet; thence run N89°53'54"E, 59.96 feet; thence run S00°06'17"E, 20.00 feet; thence run S29°31'28"E, 199.20 feet, thence run S00°34'10"E along the East boundary of the West half of the East half of Section 26, Township 1 North, Range 1 East, Leon County, Florida, a distance of 3929.19 feet to the South boundary of said Section 26; thence run along the South boundary of said Section 26, N89°58'53"W, 3861.34 feet to the POINT OF BEGINNING; containing 433.28 acres, more or less; AND

Block "B" (0.23 acres, more or less); Block "C" (0.92 acres, more or less); Block "D" (1.89 acres, more or less); Block "E" (2.10 acres, more or less); Lot 2, Block "F" (0.41 acres, more or less); Lot 4, Block "F" (0.32 acres more or less); Block "G" (1.36 acres, more or less); Lot 6, Block "H" (0.37 acres, more or less); Block "I" (3.12 acres, more or less); Lot 2, Block "K" (0.23 acres, more or less); Lot 4, Block "K" (0.24 acres, more or less); Lot 6, Block "K" (0.24 acres, more or less); Lot 7, Block "K" (0.26 acres, more or less); all in FALLSCHASE UNIT NO. 1 SUBDIVISION according to the plot thereof recorded in Plat Book 9, Page 4 of the Public Records of Leon County, Florida.

LESS AND EXCEPT the following parcel, COMMENCE at the Southeast corner of Section 27, Township 1 North, Range 1 East (Southwest corner of Section 26), Leon County, Florida, and thence run S89°53'47"W along the South boundary of said Section 27, a distance of 628.53 feet to a point on the Northeastern boundary of the Seaboard Coastal Railroad right-of-way, said point being on a curve concave to the Northeast, thence run Northwestly along said right-of-way curve with a radius of 1849.86 feet, through a central angle of  $00^{\circ}06'02''$ , for an arc distance of 226.11 feet, thence continue along said right-of-way curve with a radius of 1460.63'W, 226.11 feet; thence continue along said right-of-way curve with a radius of 1051.46'W, 226.11 feet to a point on curve to the left, which point, said right-of-way curve with a radius of 1019.04'W, through a central angle of  $00^{\circ}07'07''$ , for an arc distance of 217.67 feet; thence leaving said railroad right-of-way run N00°07'07"W along the West boundary of the East half of the East half of said Section 27, a distance of 100.00 feet to the

RECORDING NOTICE

Document legibility unsatisfactory  
for clear reproduction in the public  
records.

FILED  
SECRETARY OF STATE  
DIVISION OF CORPORATIONS  
99 JUN -3 PM 4:58

OR 159 CPS 230

No. 1 Subdivision, as recorded in Plat Book 9, Page 40 of the Public Records of Leon County, Florida; thence run S53°56'06"E, 24.85 feet; thence S50°11'27"E, 215.45 feet; thence run S48°05'37"E, 50.16 feet to a point on a curve concave to the Southeast and also being a point on the Southerly right-of-way boundary of a unnamed street; thence from a tangent bearing of N37°07'00"E run Northeasterly along said right-of-way curve with a radius of 193.74 feet, through a central angle of 13°34'17", for an arc distance of 45.89 feet; thence continue along said Southerly right-of-way N50°41'17"E, 70.92 feet to a point of intersection with the Southerly right-of-way boundary of Fallschase Boulevard and also being a point on a curve concave to the Northeast; thence from a tangent bearing of S43°31'53"E run Southeasterly along said right-of-way curve with a radius of 339.49 feet, through a central angle of 22°46'50", for an arc distance of 134.98 feet; thence continue along said Southerly right-of-way S66°18'43"E, 235.00 feet to a point of right-of-way curve to the left; thence along said right-of-way curve with a radius of 467.89 feet, through a central angle of 48°00'00", for an arc distance of 400.14 feet; thence continue along said Southerly right-of-way N64°41'17"E, 155.00 feet to a point of curve to the right; thence along said right-of-way curve with a radius of 552.57 feet, through a central angle of 27°30'00", for an arc distance of 265.21 feet; thence continue along said Southerly right-of-way S87°48'43"E, 125.00 feet; thence N02°11'17"E, 80.00 feet to the North right-of-way boundary of Fallschase Boulevard also being a point on a curve concave to the Northwest; thence from a tangent bearing of S87°48'43"E run Northeasterly along said right-of-way curve with a radius of 765.17 feet, through a central angle of 27°51'29", for an arc distance of 372.04 feet; thence leaving said North right-of-way of Fallschase Boulevard run N23°47'52"W, 23.44 feet to a point of curve to the left; thence along said curve with a radius of 519.77 feet, through a central angle of 09°22'11", for an arc distance of 85.00 feet to the POINT OF BEGINNING. From said POINT OF BEGINNING continue along said curve with a radius of 519.77 feet, through a central angle of 04°11'20", for an arc distance of 38.00 feet; thence run N44°50'35"E, 163.07 feet; thence run N41°53'12"E, 131.60 feet; thence run N27°13'19"E, 108.60 feet; thence run NC8°31'30"E, 84.06 feet; thence run N03°55'07"E, 55.52 feet; thence N5°43'27"E, 61.26 feet; thence run N15°27'04"E, 160.66 feet; thence run N04°11'31"E, 153.19 feet; thence run N14°51'25"E, 135.10 feet; thence run N21°01'13"W, 22.57 feet; thence run N25°02'56"E, 24.63 feet; thence run N25°17'48"E, 56.34 feet; thence run N5°46'11"E, 76.78 feet; thence run N70°05'04"E, 25.65 feet; thence run N75°27'48"E, 71.12 feet; thence run N76°30'49"E, 66.16 feet to a point lying on a curve concave to the Northeast; thence from a tangent bearing of S20°10'56"E run Southeasterly along said curve with a radius of 353.47 feet, through a central angle of 04°51'46", for an arc distance of 30.00 feet; thence run S64°57'10"W, 70.00 feet; thence run N80°03'41"W, 70.63 feet; thence run S80°03'20"W, 120.26 feet; thence run S50°56'27"W, 130.41 feet; thence run S15°11'12"W, 124.73 feet; thence run S24°03'10"E, 105.11 feet; thence run S35°47'00"E, 158.30 feet; thence run N76°27'55"E, 27.83 feet; thence run N35°16'01"E, 154.47 feet; thence run N09°07'08"E, 107.40 feet; thence run N54°07'30"E, 46.15 feet; thence run N53°07'30"W, 374.04 feet; thence run S46°18'10"E, 125.40 feet; thence run S20°03'20"W, 126.65 feet; thence run N40°52'52"W, 94.00 feet; thence run N26°43'50"W, 33.00 feet; thence run N65°56'10"W, 56.97 feet; thence run N70°37'03"W, 35.16 feet; thence run N68°47'02"W, 1.47 feet; thence run S45°00'00"W, 103.00 feet; thence

RECORDING NOTICE

Document legibility unsatisfactory  
for clear reproduction in the public  
records.

1 of 1

FILED  
DIVISION OF CORPORATIONS  
SECRETARY OF STATE  
99 JUN -3 PM 4:58

OR 1590 PG 2310

S18°41'56" W, 140.64 feet; thence run S23°50'37" E, 108.48 feet; thence run S76°22'18" E, 76.99 feet; thence run S27°05'51" E, 151.91 feet; thence run S33°43'13" E, 10.00 feet; thence run S20°21'57" W, 78.48 feet; thence run S87°55'31" W, 55.25 feet; thence run N79°37'34" W, 56.63 feet; thence run N78°25'27" W, 65.60 feet; thence run S55°11'27" W, 99.16 feet; thence run S25°06'47" W, 184.17 feet; thence run S48°48'45" W, 232.27 feet to the POINT OF BEGINNING; containing 2.38 acres, more or less and designated as Part 3, COMMON AREAS in Official Records Book 906, Page 873 of the Public Records of Leon County, Florida.

AND LESS AND EXCEPT the following parcel as described in Official Records Book 735, Page 789 of the Public Records of Leon County, Florida. COMMENCE at the Southwest corner of the Northeast Quarter of the Northeast Quarter of Section 26, Township 1 North, Range 1 East, Leon County, Florida; thence run N88°53'30" W, 199.83 feet to a point on the Easterly right-of-way boundary of Ibis Drive; thence run N00°30' E along said Ibis Drive, 20.00 feet; thence leaving said Easterly right-of-way of Ibis Drive, run N89°28' W, 60.0 feet to a point on the Westerly right-of-way boundary Ibis Drive; thence S00°30' W along said Ibis Drive, 100.0 feet; thence leaving said Westerly right-of-way of Ibis Drive run N89°28' W, 400.0 feet to a point on the Easterly right-of-way boundary of Thrush Drive; thence N00°40'30" E along said Thrush Drive, 100.0 feet; thence leaving said Easterly right-of-way of Thrush Drive, run N89°26'30" W, 60.0 feet to a point on the Westerly right-of-way boundary of Thrush Drive; thence leaving said Westerly right-of-way of Thrush Drive, continue N89°26'30" W, 190.0 feet; thence S00°40'30" W, 100.0 feet; thence N89°28' W, 421.05 feet to a point; thence run S08°23' W, 328.70 feet to a point of curve; thence in a Southwesterly and Southeasterly direction along a curve concave to the East with a central angle of 29°20'35" and a radius of 696.24 feet for an arc distance of 253.53 feet to the Point of Tangency; thence run S21°07'35" E, 207.58 feet to a point which is the POINT OF BEGINNING. From said POINT OF BEGINNING continue thence S21°07'35" E, 203.59 feet; thence run N74°40'25" E, 230.11 feet; thence N03°40'35" W, 312.71 feet; thence S74°03'11" W, 332.95 feet to the POINT OF BEGINNING, containing 2.0 acres, more or less.

AND LESS AND EXCEPT the following parcel as described in Official Records Book 829, Page 247 of the Public Records of Leon County, Florida. COMMENCE at a concrete monument marking the Southeast corner of the Northeast Quarter of the Northwest Quarter of Section 26, Township 1 North, Range 1 East, Leon County, Florida, and run thence S29°59'59" W along the South boundary of the North Half of the North Half of said Section 26 a distance of 1318.29 feet; thence run N00°02'37" W, 469.34 feet; thence North, 140.18 feet; to the POINT OF BEGINNING. From said POINT OF BEGINNING continue S21°34'05" W, 1110.05 feet; thence S08°44'18" W, 175.12 feet; thence NWNE, 54 W, 147.55 feet to the POINT OF BEGINNING, containing 0.17 acres, more or less.

AND LESS AND EXCEPT the following parcel, "SECTOR" at the Southeast corner of Block 81 of PALOCIAHUE UNIT NO. 1, a subdivision as recorded in Plat Book 9 at Page 40 of the Public Records of Leon County, Florida. From said POINT OF BEGINNING, ...

RECORDING NOTICE

Document legibility unsatisfactory  
for clear reproduction in the public  
records.

FILED OF STATE  
DIVISION OF CORPORATIONS  
99 JUN -3 PM 4:58

OR1590PG2311CC

SCS'18'58"W, 12.14 feet; thence N06°51'59"W, 98.49 feet; thence S13°53'50"E, 96.32 feet to the POINT OF BEGINNING; containing 0.02 acre, more or less.

AND LESS AND EXCEPT the following parcel. BEGIN at the Southeast corner of Block "D" of FALLSCHASE UNIT NO. 1, a subdivision as recorded in Plat Book 9 at Page 40 of the Public Records of Leon County, Florida. From said POINT OF BEGINNING run S76°43'42"W, 106.24 feet; thence N20°51'28"E, 131.42 feet; thence N27°29'31"W, 155.86 feet; thence N73°55'56"W, 69.08 feet; thence S66°03'08"W, 193.80 feet; thence S60°56'40"W, 93.00 feet to the intersection with the Easterly right-of-way line of Fallschase Boulevard; thence run along said right-of-way in a Northeasterly direction along a curve concave to the Northeast with a radius of 252.98 feet, through a central angle of 03°25'03", for an arc distance of 15.09 feet; thence leaving said right-of-way run N64°21'43"E, 109.32 feet; thence N66°03'08"E, 208.00 feet; thence S72°25'36"E, 55.86 feet; thence S24°27'54"E, 285.89 feet to the POINT OF BEGINNING; containing 0.32 acre, more or less.

AND LESS AND EXCEPT the following parcel. BEGIN at the Southwest corner of Block "E" of FALLSCHASE UNIT NO. 1, a subdivision as recorded in Plat Book 9 at Page 40 of the Public Records of Leon County, Florida. From said POINT OF BEGINNING run N00°27'01"W, 46.00 feet; thence S41°27'34"E, 60.96 feet; thence S89°32'59"W, 40.00 feet to the POINT OF BEGINNING; containing 0.02 acre, more or less.

AND LESS AND EXCEPT the following parcel. COMMENCE at the Southwest corner of Block "E" of FALLSCHASE UNIT NO. 1, a subdivision as recorded in Plat Book 9 at Page 40 of the Public Records of Leon County, Florida; thence run N20°32'55"E, 271.95 feet; thence N02°34'19"W, 58.89 feet; thence N60°44'17"E, 11.19 feet; thence S02°34'19"E, 62.03 feet to the POINT OF BEGINNING. Thence from said POINT OF BEGINNING run N37°57'03"E, 148.23 feet to the intersection with the Westerly right-of-way of Fallschase Boulevard; thence with said right-of-way line and a curve concave to the Southwest run Southward with a radius of 251.79 feet, through a central angle of 02°23'57", for an arc distance of 10.91 feet; thence leaving said right-of-way line run S37°57'03"W, 155.57 feet; thence N02°34'19"W, 15.39 feet to the POINT OF BEGINNING, containing 0.03 acre, more or less.

AND LESS AND EXCEPT the following parcel. BEGIN at the Northeast corner of Block "F" of FALLSCHASE UNIT 1, a subdivision as recorded in Plat Book 9 at Page 40 of the Public Records of Leon County, Florida. From said POINT OF BEGINNING run S20°35'10"E, 94.18 feet; thence S57°00'52"W, 52.35 feet; thence N20°16'37"W, 70.00 feet; thence N77°23'09"W, 68.31 feet; thence N10°03'40"E, 13.82 feet; thence N17°14'34"E, 116.01 feet to the POINT OF BEGINNING, containing 0.18 acre, more or less.

AND LESS AND EXCEPT the following parcel. BEGIN at the Southeast corner of Block "F" of FALLSCHASE UNIT NO. 1, a subdivision as recorded in Plat Book 9 at Page 40 of the Public Records of Leon County, Florida. From said POINT OF BEGINNING run S20°35'40"W, 118.33 feet; thence S57°00'52"E, 70.00 feet; thence S74°44'26"E, 57.10 feet;

RECORDING NOTICE

Document legibility unsatisfactory  
for clear reproduction in the public  
records.

6 of 9

SECRETARY OF STATE  
DIVISION OF CORPORATIONS

29 JUN -3

PM 4:58

OR 1590 PG 2512

thence S20°35'12"E, 3.24 feet to the POINT OF BEGINNING; containing 0.09 acre, more or less.

AND LESS AND EXCEPT the following parcel. BEGIN at the Northwest corner of Block "G" of FALLSCHASE UNIT NO. 1, a subdivision as recorded in Plat Book 9 at Page 40 of the Public Records of Leon County, Florida. From said POINT OF BEGINNING run N89°32'53"E, 48.00 feet; thence S43°57'33"W, 68.50 feet; thence N00°27'01"W, 48.99 feet to the POINT OF BEGINNING; containing 0.03 acre, more or less.

AND LESS AND EXCEPT the following parcel. COMMENCE at the Northwest corner of Block "G" of FALLSCHASE UNIT NO. 1, a subdivision as recorded in Plat Book 9 at Page 40 of the Public Records of Leon County, Florida, and run N89°32'53"E, 225.00 feet to the POINT OF BEGINNING. From said POINT OF BEGINNING run N89°32'53"E, 51.50 feet; thence S37°57'03"W, 12.01 feet; thence S65°46'18"E, 135.49 feet to an intersection with the Westerly right-of-way line of Fallschase Boulevard; thence with said right-of-way line and a curve concave to the West run Southwesterly with a radius of 251.80 feet, through a central angle of 02°16'57", for an arc distance of 10.03 feet, thence leaving said right-of-way run N65°46'18"W, 120.82 feet to the POINT OF BEGINNING; containing 0.04 acre, more or less.

AND LESS AND EXCEPT the following parcel. BEGIN at the Southwest corner of Block "G" of FALLSCHASE UNIT NO. 1, a subdivision as recorded in Plat Book 9 at Page 40 of the Public Records of Leon County, Florida. From said POINT OF BEGINNING run N00°27'01"W, 63.62 feet; thence S36°20'27"E, 91.62 feet; thence N79°17'16"W, 54.75 feet to the POINT OF BEGINNING; containing 0.04 acre, more or less.

AND LESS AND EXCEPT the following parcel. Begin at the Southeast corner of Block "I" of FALLSCHASE UNIT NO. 1, a subdivision as recorded in Plat Book 9 at Page 40 of the Public Records of Leon County, Florida. From said POINT OF BEGINNING run S65°22'27"W, 63.57 feet; thence N12°27'04"E, 115.16 feet; thence N22°21'00"W, 118.33 feet; thence N70°41'42"W, 110.56 feet; thence N65°02'40"E, 116.25 feet; thence S21°10'23"E, 270.35 feet to the POINT OF BEGINNING; containing 0.24 acre, more or less.

AND LESS AND EXCEPT the following parcel. COMMENCE at the Southwest corner of Lot 1, Block "K" of FALLSCHASE UNIT NO. 1, a subdivision as recorded in Plat Book 9 at Page 40 of the Public Records of Leon County, Florida; thence run N00°41'17"E, 31.73 feet to the POINT OF BEGINNING. From said POINT OF BEGINNING continue N22°41'17"E, 36.81 feet; thence S01°04'54"E, 24.73 feet; thence N00°21'47"W, 14.01 feet; thence N07°37'01"W, 100 feet to the POINT OF BEGINNING; containing 0.04 acre, more or less.

RECORDING NOTICE

Document legibility unsatisfactory  
for clear reproduction in the public  
records.