## 2010 FOR PROFIT CORPORATION AMENDED ANNUAL REPORT

## DOCUMENT# P07000018116

Entity Name: ROYAL SHELL PROPERTY MANAGEMENT, INC.

FILED Oct 18, 2010 Secretary of State

Date

**Current Principal Place of Business: New Principal Place of Business:** 

ATTN: LUCINDA 600 GILLAM ROAD 2340 PERIWINKLE WAY L1

WILMINGTON, OH 45177

**New Mailing Address: Current Mailing Address:** 

ATTN: LUCINDA 600 GILLAM ROAD

2340 PERIWINKLE WAY L1 WILMINGTON, OH 45177

SANIBEL, FL 33957

SANIBEL, FL 33957

FEI Number: 20-8411396 FEI Number Applied For ( ) FEI Number Not Applicable ( ) Certificate of Status Desired ( )

Name and Address of Current Registered Agent: Name and Address of New Registered Agent:

CT CORPORATION SYSTEM 1200 S PINE ISLAND RD PLANTATION, FL 33324 US

The above named entity submits this statement for the purpose of changing its registered office or registered agent, or both, in the State of Florida.

SIGNATURE:

Electronic Signature of Registered Agent

## **OFFICERS AND DIRECTORS:**

Title:

ROBERTS, RALPH L SR. Name: 600 GILLAM ROAD Address: City-St-Zip: WILMINGTON, OH 45177 US

Title:

Name: SHROYER, MIKE 600 GILLAM ROAD Address:

WILMINGTON, OH 45177 US City-St-Zip:

VΡ Title:

ROBERTS, RALPH L II Name: 600 GILLAM ROAD Address: City-St-Zip: WILMINGTON, OH 45177 US

Title: VΡ

ROBERTS, ROBY L Name: Address: 600 GILLAM ROAD

City-St-Zip: WILMINGTON, OH 45177 US

Title: SEC

Name: DELUCA, DONALD R 600 GILLAM ROAD Address: WILMINGTON, OH 45177 US City-St-Zip:

Title: ASST

Name: WADE, JEFFREY Address: 600 GILLAM ROAD

City-St-Zip: WILMINGTON, OH 45177 US

I hereby certify that the information indicated on this report or supplemental report is true and accurate and that my electronic signature shall have the same legal effect as if made under oath; that I am an officer or director of the corporation or the receiver or trustee empowered to execute this report as required by Chapter 607, Florida Statutes; and that my name appears above, or on an attachment with all other like empowered.

SIGNATURE: JEFFREY WADE ASST 10/18/2010