

CORPORATION
 ANNUAL REPORT
1995

 U.S. DEPARTMENT OF STATE
 Bureau of Economic
 and Business Affairs
 Office of Management
 and Administration

02 MAY - 1 AM 11:10

SECRETARY OF THE
TALLAHASSEE, FLORIDA

(2)

DEKEYSER IRRIGATION, INC.

267 CAMELLIA STREET
PALM BEACH GARDENS FL 33410

267 CAMELLIA STREET
PALM BEACH GARDENS FL 33410

3a. <u>Register Application Fee</u> (if applicable)	3b. <u>Transfer of Fund Request</u>
07/23/1991	08/10/1994
4. <u>File Number</u>	<u>Assigned Fee</u>
65-0110851	<u>Not Applicable to</u>
5. <u>Contributions of Staff or Volunteers</u> ()	\$8.75 Additional Fee Required
6. <u>Employee Contributions of Funds</u> ()	\$5.00 May Be Added to Fees
7. <u>Transfer of Funds</u> ()	
8. <u>Transfer of Funds for Staff, Non-Staff or Volunteer</u> ()	
<u>Transfer of Funds</u>	

9. Name and Address of Current Registered Agent

10. Name and Address of New Registered Agent

FOSTER, JOHN F
1897 PALM BEACH LAKES BLVD
SUITE 219
WEST PALM BEACH FL 33409

01	name	melanie De Keyser
02	Street Address	267 Camellia St.
03		P.B. 6, FL
04	city	FL 33410

16. *Chlorophyll a* and *Chlorophyll b* are the two main photosynthetic pigments in green plants. They are responsible for the absorption of light energy and the conversion of carbon dioxide and water into glucose and oxygen. The absorption spectra of these pigments show that *Chlorophyll a* has a peak absorption at 430 nm and 660 nm, while *Chlorophyll b* has a peak absorption at 450 nm and 640 nm. The action spectrum of photosynthesis shows that the rate of photosynthesis is highest at 660 nm, which corresponds to the peak absorption of *Chlorophyll a*.

Melanie DeKays

5-1-95

12. DEKEYSER, RICHARD T.
267 CAMELLIA STREET
PALM BEACH GRDNS FL

Altitude (ft.)	Time (hr.)	Temp. (°C)	Wind (km/h)	Clouds (%)	Humidity (%)	Pressure (hPa)	Visibility (km)	Remarks
1000	0800	15.0	10	10	65	1013.5	10	Clear
1000	0900	16.0	12	10	65	1013.5	10	Clear
1000	1000	17.0	15	10	65	1013.5	10	Clear
1000	1100	18.0	18	10	65	1013.5	10	Clear
1000	1200	19.0	20	10	65	1013.5	10	Clear
1000	1300	20.0	22	10	65	1013.5	10	Clear
1000	1400	21.0	25	10	65	1013.5	10	Clear
1000	1500	22.0	28	10	65	1013.5	10	Clear
1000	1600	23.0	30	10	65	1013.5	10	Clear
1000	1700	24.0	32	10	65	1013.5	10	Clear
1000	1800	25.0	35	10	65	1013.5	10	Clear
1000	1900	26.0	38	10	65	1013.5	10	Clear
1000	2000	27.0	40	10	65	1013.5	10	Clear
1000	2100	28.0	42	10	65	1013.5	10	Clear
1000	2200	29.0	45	10	65	1013.5	10	Clear
1000	2300	30.0	48	10	65	1013.5	10	Clear
1000	2400	31.0	50	10	65	1013.5	10	Clear
1000	2500	32.0	52	10	65	1013.5	10	Clear
1000	2600	33.0	55	10	65	1013.5	10	Clear
1000	2700	34.0	58	10	65	1013.5	10	Clear
1000	2800	35.0	60	10	65	1013.5	10	Clear
1000	2900	36.0	62	10	65	1013.5	10	Clear
1000	3000	37.0	65	10	65	1013.5	10	Clear
1000	3100	38.0	68	10	65	1013.5	10	Clear
1000	3200	39.0	70	10	65	1013.5	10	Clear
1000	3300	40.0	72	10	65	1013.5	10	Clear
1000	3400	41.0	75	10	65	1013.5	10	Clear
1000	3500	42.0	78	10	65	1013.5	10	Clear
1000	3600	43.0	80	10	65	1013.5	10	Clear
1000	3700	44.0	82	10	65	1013.5	10	Clear
1000	3800	45.0	85	10	65	1013.5	10	Clear
1000	3900	46.0	88	10	65	1013.5	10	Clear
1000	4000	47.0	90	10	65	1013.5	10	Clear
1000	4100	48.0	92	10	65	1013.5	10	Clear
1000	4200	49.0	95	10	65	1013.5	10	Clear
1000	4300	50.0	98	10	65	1013.5	10	Clear
1000	4400	51.0	100	10	65	1013.5	10	Clear
1000	4500	52.0	102	10	65	1013.5	10	Clear
1000	4600	53.0	105	10	65	1013.5	10	Clear
1000	4700	54.0	108	10	65	1013.5	10	Clear
1000	4800	55.0	110	10	65	1013.5	10	Clear
1000	4900	56.0	112	10	65	1013.5	10	Clear
1000	5000	57.0	115	10	65	1013.5	10	Clear
1000	5100	58.0	118	10	65	1013.5	10	Clear
1000	5200	59.0	120	10	65	1013.5	10	Clear
1000	530							

[illegible]

SIGNATURE:

Melanie DeKugel

5-1-95