Tanan	- 100
1020000	0574
Requester's Name	THE STATE OF THE STATE OF
	-02 MAY 30 PM 1:51
Address	OZ MALODITHI CO.
City/State/Zip Phone #	6000053715268 -04/23/0201119001
	2012.50 **87.50
	Office Use Only
CORPORATION NAME(S) & DOCUMENT N	NIBER(S), (II KNOWI):
1. 789	102-599
740 (Scott Octor) Name)	(Document #)
2. 2275 (mester Gemici	(Decument #)
Detergent and De	auxot be necluded
3304 110 MA (1000)	Charles to NOT
171 The to wow he	S) Line w/the
4. Competition Named 1250 COM	the smust adients
Will by Din Well	ti the must edille
Walk in Walk up time	the certification of
Mail out . Hwill gaiss Pho NEW FILINGS Profit Profit New Filings New Filings Profit Profit New Filings	LOS A CONTROL STATUS
NEW FILINGS 1 day MAMER	VDMJ MES
Profit Office Profit for Part Hold	merkiment (S)
I NOT FOULT IN THE PROPERTY OF	signation of R.A., Officer/Director nange of Registered Agent
	scolution/Withdrawal
U Other U M	erger woa-12447
OTHER FILINGS REGI	STRATION/QUALIFICATION
	oreign
	mited Partnership einstatement
	ademark ther
3 0	AICI

CR2E031(7/97)



FLORIDA DEPARTMENT OF STATE Katherine Harris Secretary of State

May 1, 2002

RAMON J. GRANJA REX CHEMICAL CORP. 2270 N.W. 23RD ST. MIAMI, FL 33142

SUBJECT: BAC-KILLER 2000 Ref. Number: W02000012447

We have received your document for BAC-KILLER 2000 and your check(s) totaling \$87.50. However, the enclosed document has not been filed and is being returned for the following correction(s):

Your mark contains word(s)/design(s) that must have a disclaimer. All geographical terms, such as cities, states, countries, and designs of same, must be disclaimed. Some commonly used words and corporate suffixes must also be disclaimed. You must disclaim the following term(s) by completing the disclaimer statement found in #2 of Part III of the application: 2000

Part III of your application contains an informational statement. Informational statements are not registrable components. Please delete "ONE STEP GEMICIDAL DETERGENT AND DEODERANT" from Part III of the application.

Please delete everything from Part III except the term "BAC-KILLER 2000". You cannot include the ingredients, product description, application and use. You cannot include the "DESIGN OF THE CROWN" as it is not used in close conjunction with the mark.

Please return your document, along with a copy of this letter, within 60 days or your filing will be considered abandoned.

If you have any questions concerning the filing of your document, please call (850) 245-6918.

Nanette Causseaux Corporate Specialist Supervisor

Letter Number: 702A00027045

APPLICATION FOR THE REGISTRATION OF A TRADEMARK OR SERVICE MARK PURSUANT TO CHAPTER 495, FLORIDA STATUTES

	, · ·
TO:	Division of Corporations Post Office Box 6327
	Tallahassee, FL 32314 Name & address to whom acknowledgment should be sent:
	REX CHEMICAL CONFORATION
	2270 N.W. 23 STREET
	MIAMI - FLORIDA 33142
	(<u>305</u>) 63ゲーラゲ7/ Daytime Telephone number
	PART I
1. (a)	Applicant's name: REX CHEMICAL CORPORATION
(b)	Applicant's business address: 2270 N. W. 23 STREET
	Mi AMI - FLORID A 33142 Applicant's telephone number: (305) 634-2471 City/State/Zip
(c)	Applicant's telephone number: (305) $634-2471$
Ď	Individual Corporation
	General Partnership
If other	r than an individual,
	orida registration number: 290520 / (2) Domicile State: FLonia 4
(3) Fe	deral Employer Identification Number: 59-1089518
2. (a)	If the mark to be registered is a service mark, the services in connection with which the mark is used: (i.e., furniture moving services, diaper services, house painting services, etc.)
_/\/.	4
,	
(b)	If the mark to be registered is a trademark, the goods in connection with which the mark is used: (i.e., ladies sportswear, cat food, barbecue grills, shoe laces, etc.)
	EANING PRODUCTS - CLASS 3
GEI	MICIDAL DETERGENT + DEODORANT,
	The mode or manner in which the mark is used: (i.e., labels, decals, newspaper advertisements, brochures, etc.)
LAE	BEL FOR CLEANING PRODUCTS
	(Continued)

BAC-KILLER 2000

	5
	PART II
 Date first used 	by the applicant, predecessor, or a related company (must include month, day and year):
(a) Date first used	lanywhere: $02-01-97$, (b) Date first used in Florida: $02-01-97$.
	PART III
The mark to be	registered is: (If logo/design is included, please give brief written description which
must be 25 wo	BAC-KILLER 2000 - ABOVE THE WORDS.
	*
English Translation	n
. DISCLAIMER	(if applicable)
	ADE TO THE EXCLUSIVE RIGHT TO USE THE TERM "
	" APART FROM THE MARK AS SHOWN.
RAMON	丁、 られみいてA , being sworn, depose and say that I am the owner and the applicant thorized to sign on behalf of the owner and applicant herein, and no other person except a related company ha
erein, or that I am aut	thorized to sign on behalf of the owner and applicant herein, and no other person except a related company ha ark in Florida either in the identical form or in such near resemblance as to be likely to deceive or confuse or t
e mistaken therefor. 🛚	I make this affidavit and verification on my/the applicant's behalf. I further acknowledge that I have read th
oplication and know t	the contents thereof and that the facts stated herein are true and correct
	REX CHEMICAL CORP RAMON J. GRANTA & Son Typed or printed name of applicant EXECUTIVE DIRECTOR &
	Typed or printed name of applicant
	Applicant's signature of authorized person's signature
	(List name and title)
TATE OF FL	ORIDA
MINITY OF 7	42/
DUNTY OFD.	
this $\frac{19774}{1100}$ da	ay of APRIL, 2002, RAMON J. GRANTA persona
peared before me,	nally known to me
wito is persor	any known to me whose identity i proved on the basis of
	·
	Notary Public Signature
(Seal)	, ,
-	SYLVIA M. SEARA Notary's Printed Name
	/
	My Commission Expires
	FEE: \$87.50 per class
	A STATE OF THE PARTY OF THE PAR

CUIDADO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DILUTION: 1:64 (630 ppm Quat)

2 OUNCES PER GALLON OF WATER

DIRECTIONS FOR USE

instrument that (1) is introduced directly into the human body, either into or in conflect with the bloodstream or normally sterile areas of the body, or (2) conflacts intact mucous membranes but prior to sterilization or high-level disinfection. the body. This product may be used to preclean or decontaminate critical or semi-critical devices which does not ordinarily penetrate the blood barrier or otherwise enter normally sterite area of t is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is not to be used as a terminal sterilant/high level distinfectant on any surface or

DIRECTIONS FOR USE:

airports, kennels, hotels, motels, poulity farms, turkey farms, dairy farms, hog farms, breeding establishments, grooming establishments, funeral homes, and households. Disinfects, cleans, and deodorizes the following hard nonporous inanimate surfaces: floors, walls, metal surfaces, sainless steel surfaces, glazzed porcelain, plastic surfaces (such as polypropylene, polystyrene, industrial institutions, office buildings, veterinary clinics, animal life science laboratories, federally inspected meat and poultry establishments, equine farms, tack shops, pet shops, Recommended for use in hospitals, nursing homes, schools, colleges, commercial

DISINFECTION: Remove heavy soil deposits from surface. Then thoroughly wet surface with a solution of 2 ounces of the concentrate per gation of water. The solution can be applied with a cloth, mop, sponge, or coarse spray, or soaking. Let solution remain on surface for a minimum of 0 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Food contact surfaces must be thoroughly rinsed with potable water. This must be thoroughly rinsed with potable water. inedible product processing areas, nonprocessing areas, and/or exterior areas. All surfaces USDA: For use in federally inspected meat and poultry plants on all hard, nonporous surfaces in dishes. Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted product must not be used to clean the following food contact surfaces: utensils, glassware and

carefully protected. Use product in accordance with its label. All surfaces must be thoroughly USDA: For use in federally inspected meat and poultry plants as a disinfectant agent for use in all departments. Food products and packaging materials must be removed from the room or departments. in all departments. Food products and packaging material must be removed from the room or carefully protected. All surfaces must be thoroughly rinsed with potable water. USDA. For use in federally inspected meat and poultry plants as a floor and wall cleaner for use

TOILET BOWLS. Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting. Clean by applying diluted solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first remove or expel over the inner trap the residual bowl water. Pour is three ounces of the diluted solution. Swab the bowl completely using a scrub brush or mop, making sure to get under rim. Let stand for 10 minutes or overnight, then flush. rinsed with potable water.

the orders caused by them when applied to hard, non-porous surfaces such as walls, floors, and table tops. Apply solution (2 ounces per gallon of water) with a cloth, mop, sponge, or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when MILDEWSTATIC INSTRUCTIONS: Will effectively control the growth of mold and mildew plus

ONE STEP

GERMICIDAL DETERGENT AND DEODORANT

Disinfectant - Pseudomonacidal - Staphylocidal - Salmonellacidal Bactericidal - Fungicidal - Mildewstatic - *Virucidal

soil (5% organic serum) according to the AOAC Use-dilution Test. Disinfects, cleans water up to 400 ppm (calculated as CaCO3) in the presence of a moderate amount of A multi-purpose, neutral pH, germicidal detergent and deodorant effective in hard and deodorizes in one labor-saving step.

Effective against the following pathogens:

denovirus type 4

eline leukemia

picomavirus Jistemper

Psuedomonas acruginosa inetobacter calcoaceticus phylogoccus aurcus

Enterobacter aerogenes Enterobacter cloacae Escherichia coli Bordetella bronchiseptica ılamydia psittaci

> terpes simplex type 2 lerpes simplex type

siella pneumonia terium necrophorum

egionella pneumophila isteria monocytogenes Pasteurella multocida salmonella typhimurium serratia marcescens Salmonella typhi 7roteus mirabilis almonella enteritidis

iigella flexneri

taphylococcus aureus - Methicillin Resistant (MRSA) taphylococcus aureus - Vançomycin Intermediate Resistant (VISA) taphylococcus epidermidis treptococcus faecalis

Streptococcus pyogenes Enterococcus faecalis - Vancomycin Resistant

nfectious bovine rhinotracheitis nfectious bronchitis (Avian IBV) nfluenza A/Hong Kong seudorabies

ransmissible gastroenteritis virus (TGE) bella (German Measles)

Aspergillus niger Candida albicans Respiratory Syncylizl Virus (RSV)

richophyton mentagrophytes

ATCC & antibiotic-resistant strain antibiotic-resistant strain only

KEEP OUT OF REACH OF CHILDREN

(Refer to side panels for additional precautionary & practical treatment statements.)