

T200000001256

(Requestor's Name)

(Address)

(Address)

(City/State/Zip/Phone #)

PICK-UP WAIT MAIL

(Business Entity Name)

(Document Number)


Unfiled Copies _____ Certificates of Status _____

Special Instructions to Filing Officer:

CALLER
PERMISSION GIVEN TO CORRECT
DOCUMENT BY TAMMY JONES
ON THIS DATE 11/6/2020
KS

K W2-106894

Office Use Only



400350369674

08/26/20 - 01/01/21 44,500.00

NOV 6 2020
2:01 PM
KALAMAZOO COUNTY

FILED

K. SALY
NOV 6 2020



FLORIDA DEPARTMENT OF STATE
Division of Corporations

September 17, 2020

A.W. BALOR VERSAPANEL-PLASTERING, INC.
A.W. BAYLOR
P.O. BOX 2846
ORMOND BEACH, FL 32175

SUBJECT: VERSAPANEL AND DESIGN OF A SOLID TEAL BLUE CIRCLE
WITH A WHITE "TREE-LIKE" STRUCTURE WITH TWO LEGS IN THE MIDDLE
OF THE CIRCLE

Ref. Number: T99000001528

Confirmation number: 400350369674 Pin Number: a Florida Corporation

We have received your document for VERSAPANEL AND DESIGN OF A SOLID
TEAL BLUE CIRCLE WITH A WHITE "TREE-LIKE" STRUCTURE WITH TWO
LEGS IN THE MIDDLE OF THE CIRCLE and your check(s) totaling \$350.00.
However, the enclosed document has not been filed and is being returned for the
following correction(s):

The above referenced mark expired on December 22, 2019. Please resubmit
your filing in the form of a new mark application. We are enclosing the form and
instructions for your convenience.

Pursuant to s. 495.035(5), F.S., this application will be considered abandoned if
the applicant fails to reply or resubmit the corrected/amended application within
three months from date of this letter.

If you have any questions concerning the filing of your document, please call
(850) 245-6051.

Karen A Saly
Regulatory Specialist II

Letter Number: 520A00017763

RECEIVED
NOV 02 2020

COVER LETTER

TO: Registration Section
Division of Corporations

SUBJECT: Versapanel

(Mark to be registered)

The enclosed Trademark/Service Mark Application, specimens and fee(s) are submitted for filing.

Please return all correspondence concerning this matter to the following:

A.W. Baylor

(Name of Person)

A.W. Baylor Versapanel-Plastering, Inc.

(Firm/Company)

P.O. Box 2846

(Address)

Ormond Beach, FL 32175

(City/State and Zip Code)

For further information concerning this matter, please call:

Tammy Jones

(Name of Person)

at (386) 672-0777

(Area Code & Daytime Telephone Number)

Mailing Address:

Registration Section
Division of Corporations
P.O. Box 6327
Tallahassee, FL 32314

Street Address:

Registration Section
Division of Corporations
The Centre of Tallahassee
2415 N. Monroe Street, Suite 810
Tallahassee, FL 32303

(NOTE: The information contained in this cover letter will be included in the permanent record and will be available to the general public.)

APPLICATION FOR THE REGISTRATION OF A TRADEMARK OR SERVICE MARK
PURSUANT TO CHAPTER 495, FLORIDA STATUTES

FILED

TO: Division of Corporations
Post Office Box 6327
Tallahassee, FL 32314

2007 NOV -2 PM 5:48
FLORIDA DEPARTMENT OF STATE
TALLAHASSEE, FLORIDA

PART I

1. OWNER/APPLICANT: Enter the name and address of the individual or the business entity to be listed as the owner of the Trademark and/or Service Mark on the records of the Florida Department of State.

(a) Owner's/Applicant's name: A.W. Baylor Versapanel-Plastering, Inc.

(b) Owner's/Applicant's business address: 1760 N US Highway #1

Ormond Beach, FL 32174

City/State/Zip

If different, Owner's/Applicant's mailing address: P.O. Box 2846

Ormond Beach, FL 32175

City/State/Zip

(c) Owner's/Applicant's telephone number: (386) 672-0777

Check the appropriate box to indicate the Owner/Applicant is a(n):

- Individual Corporation Joint Venture Limited Liability Company
 General Partnership Limited Partnership Union Other: _____

If the Owner/Applicant is a business entity, the business entity must have an active filing or registration on file with the Florida Department of State. If the Owner/Applicant is not an individual, enter the business entity's Florida registration/document number in #1, the state or country under the laws of which the business entity is currently formed, organized or incorporated under in #2, and the entity's federal employer identification number (EIN) in #3.

(1) Florida registration/document number: P00000063717

(2) Domicile State or Country: FLORIDA

(3) Federal Employer Identification Number: 59-3669163

2. (a) SERVICE MARK: If the owner/applicant is using the name, logo, design and/or slogan being registered in connection with a type of service, the mark is a service mark. If the mark is a service mark, the applicant/owner must list the specific service(s) the mark is being used in connection with. For example: furniture moving services, diaper services, house painting services, wholesale and retail sales of tractor equipment, etc. If the owner/applicant is using the mark to identify services available in the market place, enter the specific service(s) being rendered here:

(Note: List only those services currently being rendered by the owner/applicant. Do not include future services.)

INSTALLATION OF EXTERIOR WALL INSULATION AND FINISH PANELIZATION
SYSTEMS AND PANELS

2. (b) TRADEMARK: If the owner/applicant is using the name, logo, design and/or slogan being registered in connection with an actual product manufactured by the owner/applicant or on the owner/applicant's behalf, the mark is a trademark. If the mark is a trademark, the applicant/owner must list the specific product(s) the name, logo, design and/or slogan is being used to identify. For example: ladies sportswear, cat food, barbecue grills, shoe laces, etc. If the owner/applicant is using the name, logo, design and/or slogan to identify goods available in the market place, enter the specific product(s) the name, logo, design and/or slogan is being used to identify:

(Note: List only those product(s) currently available. Do not include future products.)

Fabrication and installation of exterior wall insulation and finish panelization systems and panels.

RECEIVED
 DEPT. OF STATE
 2011 FEB 2 11 51 AM
 FILED

2. (c) HOW IS THE NAME, LOGO, DESIGN AND/OR SLOGAN CURRENTLY USED:

SERVICE MARKS: If the name, logo, design and/or slogan are/is being used in connection with a type of service, you must specify the form(s)/mean(s) of advertisement the applicant/owner is using to advertise the services to the general public. For example: newspaper advertisements, business cards, brochures, flyers, pamphlets, menus, etc. If the mark is being used in connection with a type of service, state how the name, logo, design and/or slogan are/is being used in advertising here:

The "Versapanel" design is being used on brochures showing the manufactured panelization systems

TRADEMARKS: If the name, logo, design and/or slogan are/is being used to identify a product manufactured by or for the applicant/owner, you must specify how the mark is applied or affixed to the actual product or its packaging. For example: a tag, label, imprinted or engraved on the actual product, etc. If the mark is being used in connection with a specific product, state how the name, logo, design and/or slogan is applied or affixed to the actual product(s) or the packaging:

A sticky label, decal or tag is affixed to the outside of the panelization systems and panels.

2. (d) FEE(S) AND CLASS(ES): There are a total of 45 classes or categories in which all products or services must be categorized. The fee to register a mark is \$87.50 per class. Make check payable to Florida Department of State.

List the class(es) which apply to the product(s) and/or service(s) listed in 2(a) and/or 2(b) above:

Class 6, Class 17, Class 19, Class 37

PART II.

1. You must state the date the name, logo, design and/or slogan was first used in the state of Florida, and, if it was used in another state or country, the date you first used the name, logo, design and/or slogan in the other state or country. Enter the month, day, and year the name, logo, design and/or slogan was first used by the applicant/owner, the predecessor, or a related company in Florida. If the name, logo, design and/or slogan has been used in another state or country, then you must also enter the month, day, and year the name, logo, design and/or slogan was/were used in another state or country, when applicable.

Note: The Florida Statutes require a mark to be in use prior to registration.

(a) Date first used in other state or country, if applicable: 06/24/1988

(b) Date first used in Florida: 06/24/1988

FILED
SERIALS SECTION
JUL 1 1988
FBI - TAMPA

PART III

ENTER NAME, LOGO, DESIGN AND/OR SLOGAN BEING REGISTERED:

1. Enter the name, a brief description of the logo or design, and/or the slogan you are registering. The description of the logo and/or design must be 25 words or less. List the exact name, slogan, and/or description of the logo/design here: (NOTE: The name, logo, design and/or slogan listed in this section must match the exact name, logo, design and/or slogan listed on your specimens or examples.)

Versapanel and design of a solid teal blue circle with a white "tree-like" struture with two legs in the middle of the circle.

Provide the English translation of any and all terms listed #1 above, when applicable: N/A

2. **DISCLAIMER STATEMENT** (if applicable):

Your mark may include a word or design that is commonly used by others. Commonly used terms or designs must be disclaimed. When you disclaim a specific term or design, you are acknowledging this term is commonly used by others and that you do not claim the exclusive right to use the disclaimed term or design. All geographical terms and representations of cities, states or countries must be disclaimed (i.e., Miami, Orlando, Florida, the design of the state of Florida, the design of the United States of America, etc.). Corporate suffixes and terms readily associated with the specific product(s) and/or(s) service being provided must also be disclaimed.

Enter all terms listed in #1 above which require a disclaimer in the space provided below:

NO CLAIM IS MADE TO THE EXCLUSIVE RIGHT TO USE THE TERM(S)" _____

_____ " APART FROM THE MARK AS SHOWN.

3. ATTACH OR INCLUDE THREE SPECIMENS OR EXAMPLES OF THE TRADEMARK OR SERVICE MARK BEING REGISTERED

Chapter 495, F.S., requires you to submit three specimens (samples or examples) of the mark in use. You must submit three specimens FOR EACH CLASS listed in Part I #2(d). The name, logo, design and/or slogan on the specimens must be identical to the name, logo, design and/or slogan being registered. You may provide three identical specimens or three different specimens. For each service mark class (classes 35-45), you may provide three newspaper advertisements, business cards, brochures, flyers, or any combination thereof. For each trademark class (classes 1-34), you may provide three tags, labels, boxes, etc. or any combination thereof. Photographs of bulky specimens are acceptable if the mark being registered and the good(s) or product(s) are clearly legible.

SIGNATURE OF APPLICANT/OWNER AND NOTARIZATION:

I, A.W. BAYLOR, being sworn, depose and say that I am the owner and the applicant herein, or that I am authorized to sign on behalf of the owner and applicant herein, and to the best of my knowledge no other person except a related company has registered this mark in this state or has the right to use such mark in Florida either in the identical form thereof or in such near resemblance as to be likely, when applied to the goods or services of such other person to cause confusion, to cause mistake or to deceive. I make this affidavit and verification on my/the applicant's behalf. I further acknowledge that I have read the application and know the contents thereof and that the facts stated herein are true and correct.

A.W. Baylor
Typed or printed name of applicant
A.W. Baylor
Applicant's signature
(List name and title)

FILED
NOV -2 PM 5:46
REGISTERED FLORIDA

STATE OF FLORIDA
COUNTY OF Volusia

Sworn to (or affirmed) and subscribed before me by means of physical presence or online notarization, this (numeric date) this 26th day of October, 2020, by A.W. Baylor.
numeric date month year name of person making statement


Timmy Eric Jones
Notary Public's Signature
Timmy Eric Jones
Notary Public's Printed Name

Personally Known OR Produced Identification

Type of Identification Produced: _____

FILING FEE: \$87.50 per class


Panelization Systems - Commercial, Residential & Industrial




**AWV BAYLOR
VERSAPANEL**
MANUFACTURING



Panel Joint Detail



Parapets/Flashing Detail



Panel shape - Configuration

Panel Shape

Panels are easily and economically shaped to meet designer expectations of any project.

Parapets/Flashing




A weather resistant panel system is dependent upon the proper detailing of parapet caps and roof flashings. Conventional methods can be easily adapted to insure weatherability.

Panel shape - Configuration

Panel shape - Configuration

Panel shape - Configuration

Panel shape - Configuration



Panel Configuration


A good base for panel layouts is to use established column lines, beam lines, floor lines, expansion joints, and horizontal/vertical glazing system lines.

Panel Joints

Proper separation of panelized elements is a prime consideration in the detailing of panelized construction. Our staff will be happy to work with you on these specifications.

Panel Connections

There are a wide variety of connection details available to the designer which are compatible with panelized construction. Selection of connections should be done only with an understanding of the specific performance characteristics of the various connections and their relationship to the entire panel systems and the structural system supporting the panelized elements.



MARRIOTT HOTEL, DAYTONA BEACH, FL., features inset panels and attractive architectural shapes which include arches, columns andouvered walls making this 402 room hotel a highlight on The World's Most Famous Beach.

Originally designed for in-place construction, the owner and general contractor recognizing that "time is money" agreed to accept the option to panelize the building's exterior finish. The result was a 4 month saving in construction.

Architect: FABUN/HATCH ARCHITECTS

PANELIZATION

CONSIDER THE BENEFITS

Design Flexibility

Panelized construction is the integration of two distinct building systems: (1) a light gauge steel framing system comprising the structural element; and (2) the sheathing, insulating, and cladding which comprise the non-structural elements. In combination, these elements become a unified building component, which is lightweight and capable of meeting a variety of design criteria.

Quality Control

Panel fabrication is accomplished under controlled environmental conditions, eliminating concerns for inclement weather, scaffolding, and potential damage by other trades.

Scheduling Control

Panelization significantly reduces the time required to install an exterior wall assembly on a given project. This inherent benefit comes

CONSIDER THE PERFORMANCE CHARACTERISTICS

from the ability to begin panel fabrication well in advance of the structural framing completion. Upon completion of the structural framing, completed panels can be installed in considerably less time than would be required by working with individual elements from scaffolding.

Cost Control

The cost of panelized construction varies according to several factors: (1) structural requirements; (2) design considerations; (3) building type; and (4) project location. However, combining these factors with the other benefits listed above, the advantages and cost effectiveness of panelization become apparent.


Adaptability

Project designers can be assured that a panelized system can be designed and detailed in a cost effective, code approved manner compatible with any structural system.






100% ACRYLIC



PLYWOOD PANEL




THIN BRICK



STUCCO




MARBLE



STONE



METAL SIDING



PANEL FINISH OPTIONS:

- 1. 100% Acrylic finish
- 2. Plywood paneling
- 3. Brick
- 4. Marble / Stone
- 5. Architectural Medal siding
- 6. Any combination above

BASE COAT

MESH




INSULATING VALUES:

- 1" EPS: R = 4.17
- 2" EPS: R = 8.33
- 3" EPS: R = 12.50
- 4" EPS: R = 16.67

AVAILABLE SUBSTRATES:

- 1. Gypsum sheathing
- 2. Plywood
- 3. Cement-wood board
- 4. Durock

METAL FRAME



Only the highest quality products are used in the manufacture of the exterior wall panels. They are light weight (approximately 7 lbs. per sq.ft.) which allows for easier handling of large panels. The reduced dead load permits design and economic advantages.

The DRYVIT[®] /OUTSULATION[®] System is one of the premier products in this field and is shown in the panel detail above. This exterior wall insulation and finish system is very efficient and has a wide variety of architectural finishes. It seals thermal bridges, ensuring energy-efficient structures, savings up to 30-40% in heating and cooling dollars.



Shield Welding



Loading Panels




Applying Finish Coat


Panel Fabrication

Concrete panels are fabricated in a controlled manufacturing environment in an off-site panelization facility. There is no such thing as a typical panel. Each project has specialized requirements based on design, engineering, and code considerations.



Shield Welding



Panel Erection



Foam Forming



Panel Transportation

Panels are typically trucked to the job site on flat bed trailers that are specially adapted for each project to insure safe transportation of the maximum number of panels per trip.

Panel Erection

Panels are erected in accordance with connection and installation details provided in approved panelization shop drawings. Panels are hoisted into position for attachment to the structure with equipment suitable to individual project requirements.

THE OAKS AT BUCKHEAD IN ATLANTA, GA., features 38' high panels, cornices, and architectural shades that make this 30 story condominium a focal point on the Atlanta skyline.

The challenge was to manufacture and erect radiused panels to conform to the concrete superstructure and meet an accelerated construction schedule by installing 1-1/2 floors of panels per week. Not only was the schedule met, but the work was performed during the harsh, rainy winter months and saved 90 days on the project completion.

The results were obvious...an appreciative general contractor and a satisfied owner, both of whom recognize the value and efficiency of panelization.

General Contractor: R.J. GRIFFIN & COMPANY
Architect: SMALLWOOD, REYNOLDS, STEWART, STEWART & ASSOC., INC.
Owner: PERINI-RSEA PARTNERSHIP



AW BAYLOR VERSAPANEL

176C North US #1 / P.O. Box 846
Ormond Beach, FL 32175-0846
386-672-0777



176C North US #1 / P.O. Box 846
Ormond Beach, FL 32175-0846
386-672-0777



176C North US #1 / P.O. Box 846
Ormond Beach, FL 32175-0846
386-672-0777