9000 900 683 FILED Requestor's Name 99 MAY 28 AM 9:52 SECRETARY OF STATE TALLAHASSEE, FLORIDA Address City/State/Zip Phone # Office Use Only CORPORATION NAME(S) & DOCUMENT NUMBER(S), (if known): 400002889854--8 -05/28/99--01084--028 ******87.50 ******87.50 (Document #) 2. (Corporation Name) (Document #) (Corporation Name) (Document #) (Corporation Name) ☐ Walk in Pick up time Certified Copy Mail out Will wait Photocopy Certificate of Status NEW FILINGS AMENDMENTS Profit Amendment NonProfit Resignation of R.A., Officer/Director Limited Liability Change of Registered Agent Domestication Dissolution/Withdrawal Other Merger

OTHER FILINGS
 Annual Report
Fictitious Name
Name Reservation

REGISTRATION/ QUARTICATION
Foreign
 Limited Partnership
Reinstatement
Trademark
Other

	4	
	Name Availability	no
	Document Examiner	NJC
	Updater	NJC
	Updater Verifyer	NJC
	Acknowledger	
	W. P. Verifyer	NJC

Examiner's Initials

APPLICATION FOR THE REGISTRATION OF A TRADEMARK OR SERVICE MARK PURSUANT TO CHAPTER 495, PLORIDA STATUTES

TO: Division of Corporations
Post Office Box 6327
Tallabasses FL 32314

CR2E014(7/97)

Tallahassee, FL 32314	ame & address to whom acknowledgment should be sent:
	Ginabeth B. Hutchison, Esq. Aleton & Bird LLP
	One Atlantic Center
_	1201 W. Peachtree Street
	Atlanta, GA 30309-3424
1	404) 881-7000
	aytime Telephone number
PA	ARTI
l. (a) Applicant's name: MonierLifetile LLC	
(b) Applicant's business address: 1 Park Plaza	Suite 900
Irvine, CA	92614
	City/\$tate/Zip
(c) Applicant's telephone number: (949) 756-	
☐ Individual ☐ Corporation	☐ Joint Venture ☐ Other
☐ General Partnership ☐ Limited Partnership	Union
f other than an individual,	
1) Florida registration number: M98000000264	(2) Dominila State: Delaware
 Federal Employer Identification Number: 33-07 	76-9563
 (a) If the mark to be registered is a service mark, the (i.e., furniture moving services, diaper services, he 	services in connection with which the mark is used: ouse painting services, etc.)
•	
	-
(b) If the mark to be registered is a trademark, the good, i.e., ladies sportswear, cat food, barbecue grills, sl	ods in connection with which the mark is used; hoe laces, etc.)
Concrete roof tile	
(c) The mode or manner in which the mark is need (i.	e., labels, decals, newspaper advertisements, brochures, etc.)
Labels	er, racers, decemb, newspaper advertisements, procuures, etc.)
i	
(Cont	inued)

d) The class(es) in which goods or service	ces fall:
19	
Date first used by the applicant prede	PART II cessor, or a related company (must include month, day and year):
	6, 1983 (b) Date first used in Florida: Sept. 26, 1983
The mark to be registered is: (If logo/e must be 25 words or less.)	PART III design is included, please give brief written description which
2. DISCLAIMER (if applicable)	
NO CLAIM IS MADE TO THE EXCLU	
	" APART FROM THE MARK AS SHOWN.
ine right to use such mark in prorida either in the	being sworn, depose and say that I am the owner and the applicant of the owner and applicant herein, and no other person except a related company has identical form or in such near resemblance as to be likely to deceive or confuse or to erification on mythe applicant's behalf. I further acknowledge that I have read the it the facts stated herein are true and correct
MonierLifeti	
\bigcap .	Typed of printed name of applicant
Applic	cant's signature or authorized person's signature
STATE OF California	(List name and title)
COUNTY OF Orange	
On this 26th day of May	1999 Jose J. F. Spiegle
ppeared before me,	19 11 , OSPAE STAFF personally
who is personally known to me	whose identity I proved on the basis of <u>Child For Beer Lan</u> Se
	- Heather & Malas
(Seal)	Notary Public Signature Heather Jumaler
	Notary's Printed Name
	My Commission Expires: 6-27-2001

FEE: \$87.50 per class



Monier Lifetile CAPRI

WHITE COLOR THRU SLURRY

Qty/Pallet: 3.3 SQ. Plant: LAKE WALES

00/00/00

Shift: DAYS

1CABS8001F

ICBO No. 2093 SBCCI No. 75101

CAUTION: Sawing or grinding of concrete may result in the release of dust particles containing crystalline silica, which could cause eye or nose irritation. Respirable crystalline silica can cause silicosis and might cause lung cancer. When sawing or grinding operations are in progress, provide for adequate ventilation, dust suppression, or other feasible engineering controls to keep silica levels below the PEL (Permissible Exposure Limit). If levels exceed or are likely to exceed the PEL, use a NIOSH-approved respirator with a HEPA filter and tight fitting goggles. A Material Safety Data Sheet is available from your closest MonierLifetile Sales Office.

This product has an installed weight of 9.0 pounds per square foot when installed with a 3" headlap. The installed weight is derived from testing conducted in accordance with ICBOES Acceptance Criteria for Special Roofing Systems Section 3.2 and shown in the above ICBO Report 2093.