

FILE NOW: FILING FEE AFTER MAY 1 IS \$225.00

1995

[illegible]

APPROVED
AND
FILED

SEP 10 11:10:35

SECRETARY OF STATE
TALLAHASSEE, FLORIDA

DOCUMENT # **V32654**

(8)

SIMA INVESTMENTS, INC.

201 N.W. 82ND AVE.
SUITE 306
PLANTATION FL 33324

201 N.W. 82ND AVE.
SUITE 306
PLANTATION FL 33324

3. Date of Application	04/30/1992	3a. Date of Report	05/01/1994
4. File Number	65-0334596	Applied For	
		Not Applicable	
5. Additional Fee Required		\$8.75 Additional Fee Required	
6. Election Campaign Financing Trust Fund Contribution		\$5.00 May Be Added to Fees	
8. The corporation has liability for damages for which it is insured			
Example: Yes ☐ No ☐			

9. Name and Address of Current Registered Agent

10. Name and Address of New Registered Agent:

PIOTROWSKI, JOEL S.
627 71ST ST.
MIAMI BEACH FL 33141

81	Name	
82	Street Address (P.O. Box Number is fine) Acceptable	
83		
84	City	FL 85 Zip Code

[illegible]

Yükseköğretim Kurulu

Figure 1. A schematic diagram of the experimental setup. The subject is seated in a chair, viewing a screen displaying a target. The target is a vertical line, and the subject is required to move a cursor to the target. The cursor is a small circle on the screen. The subject's hand is positioned at the starting point, and the cursor is moved to the target. The distance between the starting point and the target is 10 cm. The subject is required to move the cursor to the target within a specified time limit. The time limit is 10 seconds. The subject is required to move the cursor to the target within the specified time limit. The time limit is 10 seconds. The subject is required to move the cursor to the target within the specified time limit. The time limit is 10 seconds.

ADDITIONAL CHANGES TO OFFICE PRS AND OTHER TAPING:

DVP
REITER, ISAAC
S. OCEAN DR., APT., #820
HALLANDALE FL
DP
STERN, ABE
9801 COLLINS AVE., APT. 19D
BAL HARBOUR FL
DV
RICHARDS, MAX
9801 COLLINS AVE., PH15
BAL HARBOR FL

[illegible][illegible]

SIGNATURE: MAX RICHARDS *Max*
SIGNATURE AND TYPED OR PRINTED NAME OF WITNESS OFFICER OR DIRECTOR

0232761 CP